



NOTES:

1. FOR USE WITH BOEING BMS13-65 OF & ADAMS RUSSELL FC14Z CABLES.
2. FOR CRIMPING USE DIE KTH-2161.
3. FOR CABLING INSTRUCTIONS SEE 3-546-1.
4. CENTER CONTACT (1-568-12MA9) SUPPLIED UNASSEMBLED.
5. INTERFACE PER MIL-STD-348, FIG. 313-2.
6. MARK PACKAGE: KINGS 123-26-9 (DATE CODE)
7. MATERIALS:  
 INSULATORS: TEFLON, ASTM D1710  
 ANGLE CONTACT: BER. COPPER ASTM B196  
 K-GRP SLEEVE: COM. BRONZE, ASTM B135  
 ALL OTHER METAL PARTS: BRASS, ASTM B16
8. FINISHES:  
 CENTER CONTACT: .000050 MIN GOLD PLATE, PER ASTM B488 OVER  
 .000050 MIN. NICKEL PER AMS-QQ-N-290 (RoHS)  
 ALL OTHER METAL PARTS: .000050 MIN NICKEL PER AMS-QQ-N-290  
 OVER .000050 MIN COPPER PER ASTM B734 (RoHS)
9. ELECTRICAL CHARACTERISTICS:  
 NOMINAL IMPEDANCE: 50 OHMS  
 WORKING VOLTAGE: 500 VRMS  
 FREQUENCY RANGE: DC TO 11GHz.
10. WEIGHT: 24.0 GRAMS

123-26-9

REVISIONS

ISSUE	CHANGES
B	REVISED PER DMF304 & ER35917 KPL 11/16/11

CUSTOMER SALES DRAWING

THIS DRAWING, THE DESIGNS AND IDEAS EMBODIED IN THE DEVICE TO WHICH IT RELATES, AND THE METHOD OF PRODUCING THE DEVICE, ARE THE PROPERTY OF WINCHESTER ELECTRONICS CORPORATION AND SHALL NOT BE EMPLOYED, COPIED, OR DISCLOSED TO ANYONE, IN ANY MANNER WITHOUT THE CONSENT OF WINCHESTER ELECTRONICS CORPORATION.

SCALE 4:1

APPROX SURFACE AREA

CAGE CODE: 91836

REF: BOEING

JACK, ANGLE, TNC

DRAWN MJB DATE 01/27/95

DESIGN JT DATE 01/27/95

APPR. DATE

**KINGS**<sup>®</sup> Winchester Electronics Corporation  
62 Barnes Industrial Road North  
Wallingford, Connecticut 06492  
by WINCHESTER ELECTRONICS

123-26-9