

**IE-BI-BNC-C**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

www.weidmueller.com



BNC coupling as per IEC 61169-8

**General ordering data**

Version	Coupling
Order No.	<a href="#">1345020000</a>
Type	IE-BI-BNC-C
GTIN (EAN)	4050118149340
Qty.	1 pc(s).

Creation date September 16, 2022 3:48:12 AM CEST

Catalogue status 09.09.2022 / We reserve the right to make technical changes.

**IE-BI-BNC-C****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Technical data****Dimensions and weights**

Net weight 24 g

**Environmental Product Compliance**

REACH SVHC Lead 7439-92-1

**General data**

Characteristic impedance	50 $\Omega$	Housing main material	Brass, nickel-plated
Insulation	PTFE	O-Ring	NBR
Return loss (attenuation)	23 dB at 4 GHz, 27 dB at 1 GHz		

**General standards**

Connector standard IEC 61169-8

**Classifications**

ETIM 6.0	EC001121	ETIM 7.0	EC001121
ETIM 8.0	EC001121	ECLASS 9.0	27-44-03-90
ECLASS 9.1	19-17-01-25	ECLASS 10.0	27-44-03-90
ECLASS 11.0	27-44-03-90	ECLASS 12.0	27-44-03-90

**Approvals**

ROHS Conform

**Downloads**

Engineering Data	<a href="#">CAD data – STEP</a>
User Documentation	<a href="#">MAN IE GUIDE DE</a> <a href="#">MAN IE GUIDE EN</a>
Catalogues	<a href="#">Catalogues in PDF-format</a>
Brochures	<a href="#">MB FREECONTACT EN</a> <a href="#">FL FIELDWIRING EN</a> <a href="#">PI PROFINET CABLING EN</a> <a href="#">PI PROFINET CABLING EN</a>