ASSOCIATED PARTS							
PART	NUMBER	QTY	DESCRIPTION				
120	92053	1	LOCK CPA M/P TETHER				
121	91731	1	LOCK SECONDARY TPA GT				

	CAVITY INFORMATION							
CAVITY NAME	TERMINAL CABLE SEA		CAVITY PLUG	*INSULATION CRIMP HEIGHT	*INSULATION CRIMP WIDTH			
A-B	12191818	12191226	-	-	-			

FOR ORDERING.

NOTES

- MAX INSULATION CRIMP MUST BE LESS THAN 3.7 HIGH AND 2.9 WIDE
- MAX. CABLE O.D. 2.05
- THIS CONNECTION MEETS OR EXCEEDS SAE/USCAR-2 AUGUST 1997, SECTION 5.3.1.2, TERMINAL DISENGAGE CRITERIA WITH THE APPLICATION OF A TERMINAL POSITION ASSURANCE (TPA) SECONDARY LOCK.

DELPHI

DELPHI PACKARD ELECTRICAL/ELECTRONIC ARCHITECTURE WARREN, OH

COPYRIGHT 2010 DELPHI CORPORATION AND/OR ITS AFFILIATES. ALL RIGHTS RESERVED.

THIS DRAWING IS THE PROPERTY OF DELPHI CORPORATION.
THE REPRODUCTION, DISTRIBUTION AND UTILIZATION
OF THIS DOCUMENT OR ITS RELATED CAD MATH DATA,
AS WELL AS COMMUNICATION OF ANY CONTENT TO OTHERS,
WITHOUT EXPRESS AUTHORIZATION IS PROPULIFIED. WITHOUT EXPRESS AUTHORIZATION IS PROHIBITED.

	DATE
APVDI MA. ANTONIETA HDZ. Y	09N010
APVD2 J. S. ALVARADO	09N010
PUBLISHED DATE 090C12	

DRAWING NAME

ASM CONN 2 F GT 150 SLD

DRAWING NUMBER

CONTACT DELPHI SALES TO ASSURE AVAILABILITY OF PARTS.

PART NUMBERS THAT DO NOT HAVE A LINE PRESENT INDICATE THAT PHYSICAL PARTS ARE AVAILABLE FOR ORDERING.

A LINE DRAWN THROUGH A PART NUMBER
INDICATES THAT PHYSICAL PARTS ARE NOT AVAILABLE

APPLICATION DRAWING UNLESS OTHERWISE SPECIFIED

WHEN APPLICABLE, EQUIVALENT PART NUMBERS MAY BE SUBSTITUTED FOR ANY OF THE PART NUMBERS SHOWN IN THE CHARTS ON THIS DRAWING.

* THE VALUES REPRESENT THE CAVITY CAPABILITIES. THE ACTUAL TERMINAL CRIMP DIMENSIONS MUST BE LESS THAN THE VALUES SHOWN.

4