

# 1SP0635x2xx-FZ1200R12HP4 Preliminary Data Sheet

Compact, high-performance, plug-and-play single-channel IGBT driver based on SCALE-2 technology for individual and parallel-connected modules in 2-level, 3-level and multilevel converter topologies

#### Abstract

The SCALE-2 plug-and-play driver 1SP0635x2xx-FZ1200R12HP4 is a compact single-channel intelligent gate driver designed for Infineon's IGBTs FZ1200R12HP4. The master driver 1SP0635x2Mx-FZ1200R12HP4 features a fiber-optic interface with a built-in isolated DC/DC power supply. It can be used as stand-alone driver or in conjunction with up to three 1SP0635D2Sx-FZ1200R12HP4 slaves to drive up to four parallel-connected IGBT modules of type FZ1200R12HP4.

For drivers adapted to other types of high-power and high-voltage IGBT modules, refer to:

www.IGBT-Driver.com/go/plug-and-play

Features	Applications
✓ Plug-and-play solution	✓ Traction
<ul> <li>Allows parallel connection of IGBT modules</li> </ul>	<ul> <li>Railroad power supplies</li> </ul>
✓ For 2-level, 3-level and multilevel topologies	✓ Light rail vehicles
✓ Built-in isolated DC/DC power supply (master)	✓ HVDC
✓ Fiber-optic links (master)	<ul> <li>Flexible AC transmission systems (FACTS)</li> </ul>
✓ Built-in interface to 1SP0635D2Sx (slave)	<ul> <li>Medium-voltage converters</li> </ul>
✓ Duty cycle 0100%	✓ Industrial drives
✓ Dynamic Advanced Active Clamping DA <sup>2</sup> C	<ul> <li>Wind-power converters</li> </ul>
✓ Dynamic IGBT short-circuit protection	<ul> <li>Medical applications</li> </ul>
✓ Monitoring of supply voltage	✓ Research
✓ Monitoring of gate voltage	And many others
<ul> <li>Extremely reliable; long service life</li> </ul>	
✓ Shortens application development time	

✓ Suitable for FZ1200R12HP4

www.IGBT-Driver.com



#### Safety Notice!

The data contained in this data sheet is intended exclusively for technically trained staff. Handling all high-voltage equipment involves risk to life. Strict compliance with the respective safety regulations is mandatory!

Any handling of electronic devices is subject to the general specifications for protecting electrostatic-sensitive devices according to international standard IEC 60747-1, Chapter IX or European standard EN 100015 (i.e. the workplace, tools, etc. must comply with these standards). Otherwise, this product may be damaged.

#### **Important Product Documentation**

This data sheet contains only product-specific data. For a detailed description, must-read application notes and common data that apply to the whole series, please refer to the "Description & Application Manual for 1SP0635 SCALE-2 IGBT Drivers" on <u>www.IGBT-Driver.com/go/1SP0635</u>.

When applying SCALE-2 plug-and-play drivers, please note that these drivers are specifically adapted to a particular type of IGBT module. Therefore, the type designation of SCALE-2 plug-and-play drivers also includes the type designation of the corresponding IGBT module. These drivers are not valid for IGBT modules other than those specified. Incorrect use may result in failure.

#### Mechanical Dimensions

Dimensions: See the relevant "Description and Application Manual"

Mounting principle: Connected to IGBT module with screws

#### Fiber-Optic Interfaces (1SP0635x2Mx)

Interface	Remarks	Part type #
Drive signal input	1SP0635V, fiber-optic receiver (Notes 1, 2)	HFBR-2522Z
Drive signal input	1SP0635S, fiber-optic receiver (Notes 1, 2)	HFBR-2412Z
Status output	1SP0635V, fiber-optic transmitter (Notes 1, 3)	HFBR-1522Z
Status output	1SP0635S, fiber-optic transmitter (Notes 1, 3)	HFBR-1412Z

#### **Electrical Connectors**

Interface	Remarks	Part type #
Power supply connector X1	1SP0635x2Mx, on-board connector (Note 4)	214012
Bus connectors X2 and X3	On-board connectors (Note 5)	214013

# Absolute Maximum Ratings

Parameter	Remarks	Min	Max	Unit
Supply voltage V <sub>DC</sub>	VDC to GND (1SP0635x2Mx)	0	16	V
Average supply current I <sub>DC</sub>	1SP0635x2Mx only (Note 6)		400	mA
Average supply current I <sub>DC</sub>	1SP0635x2Mx with three 1SP0635D2Sx (Note 6)		1130	mA
Gate output power	1SP0635x2Mx, Ta < 70°C (Note 7)		3	W
	1SP0635x2Mx, Ta = 85°C (Note 7)		2.2	W
Gate output power	1SP0635D2Sx, Ta < 70°C (Note 8)		2.6	W
	1SP0635D2Sx, Ta = 85°C (Note 8)		2	W
Switching frequency F	1SP0635x2Mx, Ta < 70°C		14.5	kHz
	1SP0635x2Mx, Ta = 85°C		10.5	kHz
Switching frequency F	1SP0635D2Sx, Ta < 70°C		12.5	kHz
	1SP0635D2Sx, Ta = 85°C		9.5	kHz
Gate peak current I <sub>out</sub>	Note 9	-35	+35	А
Test voltage (50Hz/1min.)	1SP0635x2Mx, primary to secondary (Note 10)		4000	V <sub>AC(eff)</sub>
DC-link voltage	Switching operation (Note 11)		800	V
	Off state (Note 12)		950	V
Operating voltage	Primary to secondary side		1200	$V_{peak}$
Max. emitter-emitter voltage	Between parallel connected drivers (Note 13)		200	$V_{\text{peak}}$
dV/dt	Between parallel connected drivers (Note 14)		50	kV/µs
Max. interface current	X2 and X3, total RMS value (Note 15)		4	A <sub>rms</sub>
	X2 and X3, total peak value (Note 15)		20	$A_{peak}$
Operating temperature		-40	+85	°C
Storage temperature		-40	+90	°C

# **Recommended Operating Conditions**

Power Supply	Remarks	Min	Тур	Max	Unit
Supply voltage V <sub>DC</sub>	To GND	14.5	15	15.5	V

### **Electrical Characteristics**

#### All data refer to +25°C and $V_{DC}$ = 15V unless otherwise specified

Supply current $I_{DC}$ Without load, only 1SP0635x2Mx120Supply current $I_{DC}$ Without load, per additional 1SP0635D2Sx35Coupling capacitance $C_{IO}$ 1SP0635x2Mx, DC/DC converter15Power Supply MonitoringRemarksMinTypMaxSupply threshold $V_{Iso}$ - $V_{ee}$ Secondary side, clear fault12.112.613.1Supply threshold $V_{Iso}$ - $V_{ee}$ Secondary side, set fault (Note 16)11.512.012.5Monitoring hysteresisSecondary side, clear fault55.155.3Supply threshold $V_{ee}$ - $V_{COM}$ Secondary side, set fault (Note 16)4.74.855Monitoring hysteresisSecondary side, set fault0.1555.155.3Bus to 1SP0635D2SxRemarksMinTypMaxSupply voltageWithout load With three slaves, full load2524Turn-off commandTo COM0155Gate MonitoringRemarksMinTypMaxTurn-on threshold $V_{GE,off,max}$ Gmean to E, set fault (Note 17) Gmean to E, set fault (Note 17)12.9Turn-off threshold $V_{GE,off,max}$ Gmean to E, set fault (Note 18) DC-link voltage = 800V (Note 19)0.2Static Vce-monitoring thresholdBetween auxiliary terminals (Note 18) DC-link voltage = 600V (Note 19)7.6DC-link voltage = 400V (Note 19)7.6DC-link voltage = 300V (Note 19)9.9Delay to IGBT turn-offAfter the response time (Note 20)0.3	Unit
Coupling capacitance $C_{lo}$ 1SP0635x2Mx, DC/DC converter15Power Supply MonitoringRemarksMinTypMaxSupply threshold $V_{lso}$ - $V_{ee}$ Secondary side, clear fault12.112.613.1Supply threshold $V_{lso}$ - $V_{ee}$ Secondary side, set fault (Note 16)11.512.012.5Monitoring hysteresisSecondary side, set/clear fault0.3555.155.3Supply threshold $V_{ee}$ - $V_{COM}$ Secondary side, set fault (Note 16)4.74.855Monitoring hysteresisSecondary side, set/clear fault0.150.150Bus to 1SP0635D2SxRemarksMinTypMaxSupply voltageWithout load With three slaves, full load250Turn-off command To COMTo COM0150Gate MonitoringRemarksMinTypMaxFilter delayNote 172.8280Short-circuit ProtectionRemarksMinTypMaxStatic Vce-monitoring threshold Response timeBetween auxiliary terminals (Note 18) DC-link voltage = 800V (Note 19) DC-link voltage = 400V (Note 19) DC-link voltage = 300V (Note 19)7.6DC-link voltage = 300V (Note 19)9.99.9	mA
Power Supply MonitoringRemarksMinTypMaxSupply threshold $V_{150}$ - $V_{ee}$ Secondary side, clear fault12.112.613.1Supply threshold $V_{150}$ - $V_{ee}$ Secondary side, set fault (Note 16)11.512.012.5Monitoring hysteresisSecondary side, set fault0.355.155.3Supply threshold $V_{ee}$ - $V_{COM}$ Secondary side, clear fault55.155.3Monitoring hysteresisSecondary side, set fault (Note 16)4.74.855Monitoring hysteresisSecondary side, set/clear fault0.150.15Bus to 1SP0635D2SxRemarksMinTypMaxSupply voltageWithout load With three slaves, full load250.15Turn-off commandTo COM01515Gate MonitoringRemarksMinTypMaxTurn-on threshold $V_{GE,on,min}$ G <sub>mean</sub> to E, set fault (Note 17) G <sub>mean</sub> to E, set fault (Note 17) Remark12.9-7.6Filter delayNote 172828Short-circuit ProtectionRemarksMinTypMaxStatic Vce-monitoring threshold DC-link voltage = 600V (Note 19) DC-link voltage = 300V (Note 19)7.50.2DC-link voltage = 400V (Note 19)7.6000DC-link voltage = 300V (Note 19)9.99.90	mA
Supply threshold $V_{Iso}-V_{ee}$ Secondary side, clear fault12.112.613.1Monitoring hysteresisSecondary side, set fault (Note 16)11.512.012.5Supply threshold $V_{ee}-V_{COM}$ Secondary side, clear fault0.3555.155.3Supply threshold $V_{ee}-V_{COM}$ Secondary side, clear fault0.154.74.855Monitoring hysteresisSecondary side, set fault (Note 16)4.74.855Bus to 1SP0635D2SxRemarksMinTypMaxSupply voltageWithout load With three slaves, full load257Turn-off command To COMTo COM0155Gate MonitoringRemarksMinTypMaxTurn-on threshold $V_{GE,on,min}$ Filter delayGmean to E, set fault (Note 17) $T, 6$ 12.9-7.6Static Vce-monitoring threshold Response timeBetween auxiliary terminals (Note 18) $DC-link voltage = 400V (Note 19)$ $DC-link voltage = 300V (Note 19)10.2DC-link voltage = 400V (Note 19)DC-link voltage = 300V (Note 19)9.99.9$	pF
Secondary side, set fault (Note 16)11.512.012.5Monitoring hysteresisSecondary side, set/clear fault0.35Supply threshold $V_{ee}$ - $V_{COM}$ Secondary side, clear fault55.155.3Monitoring hysteresisSecondary side, set fault (Note 16)4.74.855Monitoring hysteresisSecondary side, set/clear fault0.150.15Bus to 1SP0635D2SxRemarksMinTypMaxSupply voltageWithout load With three slaves, full load250.15Turn-off commandTo COM0015Gate MonitoringRemarksMinTypMaxTurn-on threshold $V_{GE,on,min}$ Filter delayG <sub>mean</sub> to E, set fault (Note 17)12.9Turn-off threshold $V_{GE,off,max}$ G <sub>mean</sub> to E, set fault (Note 17)-7.6Filter delayNote 1728Short-circuit ProtectionRemarksMinTypDC-link voltage = 600V (Note 19)7.50.1DC-link voltage = 400V (Note 19)7.60DC-link voltage = 300V (Note 19)9.90	Unit
Monitoring hysteresis Supply threshold Vee-VCOMSecondary side, set/clear fault Secondary side, clear fault0.35 5Monitoring hysteresisSecondary side, clear fault0.15Bus to 1SP0635D2SxRemarksMinTypMaxSupply voltageWithout load With three slaves, full load25 24Turn-off command Turn-on commandTo COM0 15Gate MonitoringRemarksMinTypMaxTurn-on threshold V <sub>GE,on,min</sub> Filter delayGmean to E, set fault (Note 17) Gmean to E, set fault (Note 17)12.9 -7.6Short-circuit ProtectionRemarksMinTypMaxStatic Vce-monitoring threshold DC-link voltage = 400V (Note 19) DC-link voltage = 300V (Note 19)10.2 7.6 9.9	V
Supply threshold Vee-VCOMSecondary side, clear fault55.155.3Monitoring hysteresisSecondary side, set fault (Note 16)4.74.855Monitoring hysteresisSecondary side, set/clear fault0.150.15Bus to 1SP0635D2SxRemarksMinTypMaxSupply voltageWithout load250.15Turn-off commandTo COM024Turn-on commandTo COM15Gate MonitoringRemarksMinTypMaxTurn-on threshold V <sub>GE,off,max</sub> Gmean to E, set fault (Note 17)12.9Filter delayNote 1728Short-circuit ProtectionRemarksMinTypMaxStatic Vce-monitoring thresholdBetween auxiliary terminals (Note 18)10.2Response timeDC-link voltage = 600V (Note 19)7.50DC-link voltage = 400V (Note 19)7.60DC-link voltage = 300V (Note 19)9.99.9	V
Secondary side, set fault (Note 16)4.74.855Monitoring hysteresisSecondary side, set/clear fault $0.15$ $0.15$ Bus to 1SP0635D2SxRemarksMinTypMaxSupply voltageWithout load With three slaves, full load $25$ With three slaves, full load $24$ Turn-off command To COMTo COM To COM $0$ $15$ Gate MonitoringRemarksMinTypMaxTurn-on threshold V <sub>GE,on,min</sub> Filter delayG <sub>mean</sub> to E, set fault (Note 17) G <sub>mean</sub> to E, set fault (Note 17) $12.9$ $-7.6$ $28$ Short-circuit ProtectionRemarksMinTypMaxStatic Vce-monitoring threshold Response timeBetween auxiliary terminals (Note 18) DC-link voltage = 600V (Note 19) DC-link voltage = 400V (Note 19) $10.2$ $7.6$ $0.5$ DC-link voltage = 400V (Note 19) DC-link voltage = 300V (Note 19) $9.9$	V
Monitoring hysteresisSecondary side, set/clear fault0.15Bus to 1SP0635D2SxRemarksMinTypMaxSupply voltageWithout load With three slaves, full load25 24Turn-off commandTo COM0 15Gate MonitoringRemarksMinTypMaxTurn-on threshold V <sub>GE,on,min</sub> Filter delayGmean to E, set fault (Note 17) 012.9 -7.612.9 28Short-circuit ProtectionRemarksMinTypMaxStatic Vce-monitoring threshold Response timeBetween auxiliary terminals (Note 18) DC-link voltage = 600V (Note 19) DC-link voltage = 400V (Note 19)10.2 7.6 000000000000000000000000000000000000	V
Bus to 1SP0635D2SxRemarksMinTypMaxSupply voltageWithout load With three slaves, full load25 24Turn-off commandTo COM0 To COMTurn-on commandTo COM15Gate MonitoringRemarksMinTypMaxTurn-on threshold V <sub>GE,on,min</sub> Filter delayG <sub>mean</sub> to E, set fault (Note 17) Note 1712.9 -7.6Short-circuit ProtectionRemarksMinTypMaxStatic Vce-monitoring threshold Response timeBetween auxiliary terminals (Note 18) DC-link voltage = 800V (Note 19) DC-link voltage = 400V (Note 19) DC-link voltage = 300V (Note 19)10.2 7.6 9.9	V
Supply voltageWithout load With three slaves, full load25 With three slaves, full loadTurn-off commandTo COM0Turn-on commandTo COM15Gate MonitoringRemarksMinTypMaxTurn-on threshold V <sub>GE,on,min</sub> Filter delayG <sub>mean</sub> to E, set fault (Note 17)12.9Short-circuit ProtectionRemarksMinTypMaxStatic Vce-monitoring threshold Response timeBetween auxiliary terminals (Note 18)10.2Clink voltage = 800V (Note 19)7.6DC-link voltage = 400V (Note 19)7.6DC-link voltage = 400V (Note 19)9.98.4DC-link voltage = 300V (Note 19)9.99.9	V
With three slaves, full load24Turn-off commandTo COM0Turn-on commandTo COM15Gate MonitoringRemarksMinTypMaxTurn-on threshold V <sub>GE,on,min</sub> Turn-off threshold V <sub>GE,off,max</sub> Gmean to E, set fault (Note 17)12.9Filter delayGmean to E, set fault (Note 17)-7.6Short-circuit ProtectionRemarksMinTypMaxStatic Vce-monitoring threshold Between auxiliary terminals (Note 18)10.2Clink voltage = 800V (Note 19)7.5DC-link voltage = 600V (Note 19)7.6DC-link voltage = 400V (Note 19)8.4DC-link voltage = 300V (Note 19)9.99.9	Unit
Turn-off command Turn-on commandTo COM To COM0 15Gate MonitoringRemarksMinTypMaxTurn-on threshold $V_{GE,on,min}$ Turn-off threshold $V_{GE,off,max}$ G_mean to E, set fault (Note 17) G_mean to E, set fault (Note 17)12.9 -7.6Filter delayNote 1728Short-circuit ProtectionRemarksMinTypMaxStatic Vce-monitoring threshold Response timeBetween auxiliary terminals (Note 18) DC-link voltage = 800V (Note 19) DC-link voltage = 400V (Note 19) DC-link voltage = 300V (Note 19)10.2 7.6 9.9	V
Turn-on commandTo COM15Gate MonitoringRemarksMinTypMaxTurn-on threshold V <sub>GE,on,min</sub> Turn-off threshold V <sub>GE,off,max</sub> G <sub>mean</sub> to E, set fault (Note 17)12.9Filter delayG <sub>mean</sub> to E, set fault (Note 17)-7.6Short-circuit ProtectionRemarksMinTypStatic Vce-monitoring threshold Response timeBetween auxiliary terminals (Note 18)10.2DC-link voltage = 800V (Note 19)7.57.6DC-link voltage = 400V (Note 19)7.60.2DC-link voltage = 300V (Note 19)8.40.2DC-link voltage = 300V (Note 19)9.90.2	V
Gate MonitoringRemarksMinTypMaxTurn-on threshold $V_{GE,on,min}$ Turn-off threshold $V_{GE,off,max}$ $G_{mean}$ to E, set fault (Note 17)12.9Filter delay $G_{mean}$ to E, set fault (Note 17)-7.6Filter delayNote 1728Short-circuit ProtectionRemarksMinTypStatic Vce-monitoring threshold Response timeBetween auxiliary terminals (Note 18)10.2DC-link voltage = 800V (Note 19)7.5DC-link voltage = 600V (Note 19)7.6DC-link voltage = 400V (Note 19)8.4DC-link voltage = 300V (Note 19)9.9	V
Turn-on threshold $V_{GE,on,min}$ $G_{mean}$ to E, set fault (Note 17)12.9Turn-off threshold $V_{GE,off,max}$ $G_{mean}$ to E, set fault (Note 17)-7.6Filter delayNote 1728Short-circuit ProtectionRemarksMinTypMaxStatic Vce-monitoring threshold Response timeBetween auxiliary terminals (Note 18)10.2DC-link voltage = 800V (Note 19)7.5DC-link voltage = 600V (Note 19)7.6DC-link voltage = 400V (Note 19)8.4DC-link voltage = 300V (Note 19)9.9	V
Turn-off threshold $V_{GE,off,max}$ G mean to E, set fault (Note 17)-7.6 28Filter delayNote 1728Short-circuit ProtectionRemarksMinTypMaxStatic Vce-monitoring threshold Response timeBetween auxiliary terminals (Note 18)10.2DC-link voltage = 800V (Note 19)7.5DC-link voltage = 600V (Note 19)7.6DC-link voltage = 400V (Note 19)8.4DC-link voltage = 300V (Note 19)9.9	Unit
Turn-off threshold V <sub>GE,off,max</sub> Filter delayG mean to E, set fault (Note 17)-7.6 28Short-circuit ProtectionRemarksMinTypMaxStatic Vce-monitoring threshold Response timeBetween auxiliary terminals (Note 18)10.2DC-link voltage = 800V (Note 19)7.5DC-link voltage = 600V (Note 19)7.6DC-link voltage = 400V (Note 19)8.4DC-link voltage = 300V (Note 19)9.9	V
Filter delayNote 1728Short-circuit ProtectionRemarksMinTypMaxStatic Vce-monitoring threshold Response timeBetween auxiliary terminals (Note 18)10.2DC-link voltage = 800V (Note 19)7.5DC-link voltage = 600V (Note 19)7.6DC-link voltage = 400V (Note 19)8.4DC-link voltage = 300V (Note 19)9.9	V
Static Vce-monitoring threshold Response timeBetween auxiliary terminals (Note 18)10.2DC-link voltage = 800V (Note 19)7.5DC-link voltage = 600V (Note 19)7.6DC-link voltage = 400V (Note 19)8.4DC-link voltage = 300V (Note 19)9.9	μs
Response time         DC-link voltage = 800V (Note 19)         7.5           DC-link voltage = 600V (Note 19)         7.6           DC-link voltage = 400V (Note 19)         8.4           DC-link voltage = 300V (Note 19)         9.9	Unit
Response time         DC-link voltage = 800V (Note 19)         7.5           DC-link voltage = 600V (Note 19)         7.6           DC-link voltage = 400V (Note 19)         8.4           DC-link voltage = 300V (Note 19)         9.9	V
DC-link voltage = 600V (Note 19)       7.6         DC-link voltage = 400V (Note 19)       8.4         DC-link voltage = 300V (Note 19)       9.9	μs
DC-link voltage = 400V (Note 19)8.4DC-link voltage = 300V (Note 19)9.9	μs
DC-link voltage = 300V (Note 19) 9.9	μs
-	µs
	μs
Timing Characteristics Remarks Min Typ Max	Unit
Turn-on delay t <sub>d(on)</sub> Note 21 190	ns
Turn-off delay $t_{d(off)}$ Note 21185	ns

Timing Characteristics	Remarks	Min	Тур	Мах	Unit
Output rise time t <sub>r(out)</sub>	G to E (Note 22)		9		ns
Output fall time $t_{f(out)}$	G to E (Note 22)		30		ns
Timing Characteristics	Remarks	Min	Тур	Max	Unit
Transmission delay of fault state	Note 23		90		ns
Delay to clear fault state	After IGBT short circuit (Note 24)		9		μs
	After gate-monitoring fault (Notes 24, 30)		1		μs
Acknowledge delay time	Note 25		250		ns
Acknowledge pulse width	On host side	400	700	1050	ns
Gate Output	Remarks	Min	Тур	Max	Unit
Turn-on gate resistor R <sub>g(on)</sub>	Note 26		1.6		Ω
Turn-off gate resistor R <sub>g(off)</sub>	Note 26		1.2		Ω
Auxiliary gate capacitor $C_{ge}$		not	assemb	bled	nF
Gate voltage at turn-on	Note 27		15		V
Gate-voltage at turn-off	Without load (Note 27)		-10.1		V
	$P_{DC/DC} = 3W$ (Note 27)		-9.8		V
	$P_{DC/DC} = 6W$ (Note 27)		-9.5		V
	$P_{DC/DC} = 12W$ (Note 27)		-9		V
Electrical Isolation	Remarks	Min	Тур	Max	Unit
Test voltage (50Hz/1s)	Primary to secondary side (Note 10)	4000	4050	4100	V <sub>AC(eff)</sub>
Partial discharge extinction volt.	Primary to secondary side (Note 28)	1320			V <sub>peak</sub>
Creepage distance	Primary to secondary side (Note 29)	21			mm
	Primary to IGBT main emitter terminal	20			mm
Clearance distance	Primary to secondary side (Note 29)	21			mm
	Primary to IGBT main emitter terminal	13			mm

#### Footnotes to the Key Data

- 1) The transceivers required on the host controller side are not supplied with the gate driver. It is recommended to use the same types as used in the gate driver. For product information refer to www.IGBT-Driver.com/go/fiberoptics
- 2) The recommended transmitter current at the host controller is 20mA. A higher current may increase jitter or delay at turn-off.
- 3) The typical transmitter current at the gate driver is 18mA. In case of supply undervoltage, the minimum transmitter current at the gate driver is 12mA: this is suitable for adequate plastic optical fibers with a length of more than 10 meters.
- 4) This refers to the manufacturer ordering number, see <u>www.igbt-driver.com/go/ext\_erni</u>. The customer-side connector as well as cables with different lengths can be supplied by CONCEPT. Refer to the "Description & Application Manual for 1SP0635 SCALE-2 IGBT Drivers" for more information.
- 5) This refers to the manufacturer ordering number, see <a href="http://www.igbt-driver.com/go/ext\_erni">www.igbt-driver.com/go/ext\_erni</a>. These connectors are to be used to connect 1SP0635x2Mx (master) or 1SP0635D2Sx (slave) to 1SP0635D2Sx (slave) if parallel connection of IGBT modules is required. Cables with different lengths

can be supplied by CONCEPT. Refer to the "Description & Application Manual for 1SP0635 SCALE-2 IGBT Drivers" for more information.

- 6) If the specified value is exceeded, this indicates a driver overload. It should be noted that the driver is not protected against overload.
- 7) The given power can only be fully exploited without slaves 1SP0635D2Sx (no parallel connection of IGBT modules). If the specified value is exceeded, this indicates a driver overload. It should be noted that the driver is not protected against overload. From 70°C to 85°C, the maximum permissible output power can be linearly interpolated from the given data.
- 8) The given power can be fully exploited with slaves 1SP0635D2Sx (parallel connection of IGBT modules). If the specified value is exceeded, this indicates a driver overload. It should be noted that the driver is not protected against overload. From 70°C to 85°C, the maximum permissible output power can be linearly interpolated from the given data. Note that the DC/DC converter on the master 1SP0635x2Mx is dimensioned to supply the master as well as three connected slaves 1SP0635D2Sx at full load.
- 9) The gate current is limited by the gate resistors located on the driver.
- 10) HiPot testing (= dielectric testing) must generally be restricted to suitable components. This gate driver is suited for HiPot testing. Nevertheless, it is strongly recommended to limit the testing time to 1s slots. Excessive HiPot testing may lead to insulation degradation.
- 11) This limit is due to active clamping under switching conditions. Refer to the "Description & Application Manual for 1SP0635 SCALE-2 IGBT Drivers".
- 12) Due to the Dynamic Active Advanced Clamping Function (DA<sup>2</sup>C) implemented on the driver, the DClink voltage can be increased in the off-state condition (e.g. after emergency shut-down). This value is only valid when the IGBTs are in the off state (not switching). The time during which the voltage can be applied should be limited to short periods (< 60 seconds). Refer to the "Description & Application Manual for 1SP0635 SCALE-2 IGBT Drivers".
- 13) The maximum dynamic voltage between auxiliary emitters of parallel-connected drivers due to asymmetrical operation at turn-on and turn-off must be limited to the given value.
- 14) Maximum allowed rate of change of auxiliary emitter voltage of parallel connected drivers. This specification guarantees that the drive information will be transferred reliably even with high rate of change of auxiliary emitter voltages (asymmetrical operation).
- 15) Dynamic voltages between auxiliary emitters of parallel connected drivers at turn-on and turn-off lead to equalizing currents over the X2 or X3 bus. The peak and RMS values of the resulting current must be limited to the given value.
- 16) Undervoltage monitoring of the secondary-side supply voltage (Viso to Vee and Vee to COM which correspond with the approximate turn-on and turn-off gate-emitter voltages). If the corresponding voltage drops below this limit on 1SP0635x2Mx (masters), all paralleled IGBTs (master and slaves) are switched off and a fault is transmitted to the status output. If the corresponding voltage drops below this limit on 1SP0635D2Sx (slaves), the corresponding IGBT is switched off. A fault will be generated by the gate-monitoring function on the master which will turn off all paralleled IGBTs after the corresponding delay.
- 17) The mean value V<sub>GE,mean</sub> of all gate voltages (master and all slaves) is filtered and compared to the given values at turn-on and turn-off. If the specified values are exceeded (V<sub>GE,mean</sub> < V<sub>GE,on,min</sub> at turn-on resp. V<sub>GE,mean</sub> > V<sub>GE,off,max</sub> at turn-off) after the given filter delay, the driver turns off all parallel-connected IGBTs and a fault is transmitted to the status output.
- 18) A dynamic Vce protection is implemented on the driver. The maximum allowed Vce voltage at turn-on is dynamically adjusted in order to better fit the IGBT characteristics at turn-on. At the end of the turn-on process, the given static value applies.
- 19) The resulting pulse width of the direct output of the gate drive unit for short-circuit type I (excluding the delay of the gate resistors) is the sum of the response time plus the delay to IGBT turn-off.
- 20) The turn-off event of the IGBT is delayed by the specified time after the response time.
- 21) Including the delay of the external fiber-optic links (cable length: 1m). Measured from the transition of the turn-on or turn-off command at the optical transmitter on the host controller side to the direct output of the gate drive unit (excluding the delay of the gate resistors).
- 22) Output rise and fall times are measured between 10% and 90% of the nominal output swing. The values are given for the driver side of the gate resistors with  $2\Omega/1$ uF load. The time constant of the

output load in conjunction with the present gate resistors leads to an additional delay at their load side.

- 23) Delay of external fiber-optic links. Measured from the driver secondary side (ASIC output) to the optical receiver on the host controller.
- 24) Measured on the host side. The fault status on the secondary side is automatically reset after the specified time.
- 25) Including the delay of the external fiber-optic links. Measured from the transition of the turn-on or turn-off command at the optical transmitter on the host controller side to the transition of the acknowledge signal at the optical receiver on the host controller side.
- 26) The gate resistors can be leaded or surface mounted. CONCEPT reserves the right to determine which type will be used. Typically, higher quantities will be produced with SMD resistors and small quantities with leaded resistors.
- 27) The driver secondary side voltage is split into two distinct voltages on the driver. The first one is the turn-on voltage which is regulated at about 15V. The difference between the total secondary side voltage and the turn-on voltage is the turn-off voltage which is not regulated and mainly dependent on the driver input voltage VDC and the DC/DC converter power.
- 28) Partial discharge measurement is performed in accordance with IEC 60270.
- 29) Clearance and creepage distances are designed according to IEC 60077-1. Refer to the "Description & Application Manual for 1SP0635 SCALE-2 IGBT Drivers" for more information.
- 30) The fault status is set as long as the gate monitoring fault is present. The given value applies if the driver goes from the "off state" to the "on state" and the gate-emitter voltage of one or more parallel connected drivers does not turn on. If the driver goes from the "on state" to the "off state" and the gate-emitter voltage of one or more parallel connected drivers does not turn off, the fault status is applied as long as the gate monitoring fault is present.

#### Legal Disclaimer

This data sheet specifies devices but cannot promise to deliver any specific characteristics. No warranty or guarantee is given – either expressly or implicitly – regarding delivery, performance or suitability.

CT-Concept Technologie GmbH reserves the right to make modifications to its technical data and product specifications at any time without prior notice. The general terms and conditions of delivery of CT-Concept Technologie GmbH apply.