




LOC		DIST		REVISIONS			
P	LTN	DESCRIPTION	DATE	DWN	APVD		
F		REV PER ECO 15-010033	7-10-15	CT	DH		



- MATING CONNECTOR FOR THIS CONNECTOR IS 2000834.
- MATERIAL- SHELL: ALUMINUM
HOUSING: GLASS FILLED POLYESTER, UL94V0
RETAINING RING: STAINLESS STEEL
KEYING GUIDE PIN: STAINLESS STEEL
- PLATING- CONTACT MATING AREA:
1.27µm MIN GOLD OVER 1.27µm MIN NICKEL
CONTACT PCB AREA: 0.5µm MIN BRIGHT
TIN-LEAD OVER 1.27µm MIN NICKEL
- SHELL: ELECTROLESS NICKEL
- KEYING GUIDE PIN PACKAGED FOR ASSEMBLY BY CUSTOMER.
- PRELIMINARY-NOT RELEASED FOR PRODUCTION.

OBSOLETE
 OBSOLETE
 OBSOLETE
 OBSOLETE

5	-	8	1	3	2000835-8
--	-	-	1	4	2000835-7
5	2	-	1	2	2000835-6
--	-	-	-	5	2000835-5
OBSOLETE	--	8	1	3	2000835-4
OBSOLETE	--	-	1	4	2000835-3
OBSOLETE	--	2	1	2	2000835-2
OBSOLETE	--	-	-	5	2000835-1
REMARKS	8 POSN RF COAX MODULE	VERTICAL PCB MOUNT COAX CONTACT	8 POSN UPM MODULE	3 PAIR HMZd MODULE	PART NUMBER
MODULE QTY PER ASSY					

THIS DRAWING IS A CONTROLLED DOCUMENT. DWN: Brent D. Tolpin 13JAN2010
 CHK: CHONG YI 13JAN2010
 APVD: M. R. McALONIS 13JAN2010

STE TE Connectivity

NAME: MOTHER BOARD CONNECTOR, HIGH SPEED RUGGEDIZED (HSR), 5 BAY, UNSEALED, VERTICAL
 PRODUCT SPEC: 108-2381
 APPLICATION SPEC: -

SIZE: A1 CAGE CODE: 00779 DRAWING NO: 2000835
 WEIGHT: -
 MATERIAL: - FINISH: -

CUSTOMER DRAWING SCALE: 2:1 SHEET 1 OF 3 REV F

