





LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
1		PRELIMINARY	25 JUN 2011	AL	CW



SCALE 4.000



- NOTES:  
 UNLESS OTHERWISE SPECIFIED
- MATERIAL: 6063 ALUMINUM.
  - FINISH: ELECTROLESS NICKEL, 0.76-2.54 MICROMETERS THICK
  - 0.2mm MAX BURR.
  - VARIATION IN PLATING COLOR IS NORMAL AND ALLOWED.
  - MAXIMUM PIN LEAN OF 8° IN ANY DIRECTION.
  - ROHS COMPLIANT AND CERTIFIED.

2	13.5	2170110-3
2	6.5	2170110-2
2	4.2	2170110-1
FINISH	A	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN	25 JUN 2011	TE Connectivity <b>QFSP DOUBLE HEATSINK</b>
mm		CHK	25 JUN 2011	
		APVD	25 JUN 2011	
		CW		
MATERIAL	FINISH	PRODUCT SPEC	NAME	RESTRICTED TO
SEE NOTE	SEE NOTE		QFSP DOUBLE HEATSINK	
		APPLICATION SPEC	SIZE	CAGE CODE
			A100779	C=2170110
		WEIGHT	SCALE	SHEET
			6.000	OF 1
		CUSTOMER DRAWING		REV