







REVISIONS					
P.	LTN	DESCRIPTION	DATE	DMN	APVD
A		RELEASED	21MAY2014	CJV	EDB



- 1 SURFACE TRACES PERMITTED WITHIN THIS AREA EXCEPT WHERE CAGE STANDOFFS, SHOWN IN DETAIL S, CONTACT PC BOARD.
- 2 PITCH BETWEEN PORTS OF ONE 1X4 CAGE ASSEMBLY.
- 3 SPACING BETWEEN CAGES ON THE SAME PC BOARD, TO BE SPECIFIED BY CUSTOMER, MUST COMPLY WITH MINIMUM DIMENSIONS SHOWN.
- 4 REFERENCE APPLICATION SPEC 114-32023 FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- 5 UNPLATED THRU HOLE.
- 6 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 7 DATUM A IS TOP SURFACE OF PC BOARD.
- 8 DIMENSION C IS THE NOMINAL THICKNESS OF CUSTOMER SUPPLIED PC BOARD.
MINIMUM PC BOARD THICKNESS:
SINGLE SIDED = 1.45mm
DOUBLE SIDED = 2.2mm
- 9 MATES WITH QSFP MSA COMPATIBLE TRANSCEIVER.
- 10 BASELINE FOR THESE DIMENSIONS IS THE CENTER OF COMPLIANT PIN HOLE.
- 11 DATE CODE (YYWWD) MARKED APPROXIMATELY AS SHOWN.
- 12 REFERENCE APP SPEC 114-32023 FOR GASKET THICKNESS CALCULATION.
- 13 MATERIAL:
CAGE ASSEMBLY: NICKEL SILVER, 0.25 THICK
EMI SPRINGS: COPPER ALLOY
FRONT FLANGE: ZINC ALLOY
- 14 FINISH:
EMI SPRINGS: 2µm MINIMUM TIN
FRONT FLANGE: 3µm MINIMUM TIN OVER 1.27µm MINIMUM NICKEL OVER 5.08µm MINIMUM COPPER.




DETAIL S
SCALE 20:1


2227250-1
PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN C. VALENTIN 20MAY2014	TE Connectivity	
DIMENSIONS:		CHK E. BRIANT 20MAY2014	NAME CAGE ASSEMBLY, BEHIND BEZEL, 1X4, QSFP28	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD E. BRIANT 20MAY2014	RESTRICTED TO	
mm	0 PLC ±0.1	PRODUCT SPEC	SIZE	CAGE CODE
	1 PLC ±0.1	108-19428	A1	-
	2 PLC ±0.1	APPLICATION SPEC	SCALE	3:1
	3 PLC ±0.1	114-32023	SHEET	1 OF 4
	4 PLC ±0.1	WEIGHT	REV	A
	ANGLES ±0.1	FINISH	CUSTOMER DRAWING	

REVISIONS				
P.	LTN	DESCRIPTION	DATE	OWN APVD
-	-	SEE SHEET 1	-	-






ONE SIDED CONFIGURATION



BELLY TO BELLY CONFIGURATION
SIMILAR TO NOE SIDED
EXCEPT WHERE NOTED

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: C. VALENTIN 20MAY2014	TE Connectivity
DIMENSIONS: mm		CHK: E. BRIANT 20MAY2014	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: E. BRIANT 20MAY2014	NAME: CAGE ASSEMBLY, BEHIND BEZEL, 1X4, QSFP28
0 PLC ±0.1	1 PLC ±0.1	PRODUCT SPEC: 108-19428	SIZE: A1
2 PLC ±0.1	3 PLC ±0.1	APPLICATION SPEC: 114-32023	CAGE CODE: -
4 PLC ±0.1	ANGLES ±0.1	WEIGHT: -	DRAWING NO: C=2227250
MATERIAL: FINISH: -		CUSTOMER DRAWING	RESTRICTED TO: -
		SCALE: 3:1	SHEET 2 OF 4
			REV: A

REVISIONS				
REV	DATE	BY	APP'D	DESCRIPTION
-	-	-	-	SEE SHEET 1



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: C. VALENTIN, ZOMAY2014	 TE Connectivity
DIMENSIONS: mm		CHK: E. BRIANT, ZOMAY2014	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: F. BRIANT, ZOMAY2014	NAME: CAGE ASSEMBLY, BEHIND BEZEL, 1X4, QSFP28
0 PLC	±0.1	PRODUCT SPEC	SIZE: A1
1 PLC	±0.1	108-19428	CAGE CODE: -
2 PLC	±0.1	APPLICATION SPEC	DRAWING NO: C=2227250
3 PLC	±0.1	114-32023	RESTRICTED TO: -
4 PLC	±0.1	WEIGHT: -	SCALE: 3:1
ANGLES	±0.1	CUSTOMER DRAWING	SHEET 3 OF 4
MATERIAL:	FINISH:		REV: A