# 2313391-1 - ACTIVE

TE Internal #: 2313391-1 PCB RF Modules, 10 Coaxial Contacts, Right Angle, Aluminum, Cable-to-Cable, 11 Position, 25.4 mm [1 in] Centerline, Wire & Cable, Board Mount

### View on TE.com >



Connectors > RF Connectors > RF Connector Accessories > PCB RF Modules



Number of Coaxial Contacts: 10 PCB Mount Orientation: **Right Angle** Body Material: **Aluminum** Connector System: **Cable-to-Cable** Number of Positions: 11

### Features

### Product Type Features

Connector System

Connector & Contact Terminates To

Cable-to-Cable

Wire & Cable

### **Configuration Features**

Number of Coaxial Contacts	10				
PCB Mount Orientation	Right Angle				
Number of Positions	11				
Electrical Characteristics					
Impedance	50 Ω				
Body Features					
Body Plating Material	Trivalent Chromate				
Body Material	Aluminum				
Contact Features					
RF Connector Center Contact Material	Beryllium Copper				
Contact Current Rating (Max)	1 A				
Mechanical Attachment					
Connector Mounting Type	Board Mount				
Housing Features					

**C** For support call+1 800 522 6752

06/09/2023 05:40PM | Page 1

### 2313391-1

PCB RF Modules, 10 Coaxial Contacts, Right Angle, Aluminum, Cable-to-Cable, 11 Position, 25.4 mm [1 in] Centerline, Wire & Cable, Board Mount



Centerline (Pitch)	25.4 mm[1 in]	
Usage Conditions		
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]	
Operation/Application		
Circuit Application	Signal	
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Solder Process Capability	Not reviewed for solder process capability	

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**

### 2313391-1

PCB RF Modules, 10 Coaxial Contacts, Right Angle, Aluminum, Cable-to-Cable, 11 Position, 25.4 mm [1 in] Centerline, Wire & Cable, Board Mount





# Customers Also Bought



Nanorf, BP, 12 POS, 67.3 D	3U	DTS 24 W TT-99 PN 181	DTS 24 W 19-35 SIN 181
TE Part #ZPF000000000200226 DTS 24 W 21-35 PN 181	TE Part #ZPF00000000202684 DTS 24 W 25-35 SD 181		

### Documents

Product Drawings ASSEMBLY, HYBRID NanoRF/MT BP MODULE

English

### **CAD** Files

### 3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_2313391-1\_3.2d\_dxf.zip