






REVISIONS				
P.	LTN	DESCRIPTION	DATE	APPROVED
A		REVISED PER ECO-20-003943	18MAR2020	AP RP
B		REVISED PER ECO-20-005713	04MAY2020	AP AH
C		REVISED PER ECO-20-006441	20MAY2020	AP HA



- ① HOUSING - LCP, BLACK, CONTACTS - COPPER ALLOY. PICK AND PLACE TAPE - POLYIMIDE FILM.
- ② CONFORMS TO THE REQUIREMENTS OF TE PRODUCT SPECIFICATION 108-130028 BASED ON TELCORDIA GR-1217-CORE FOR SYSTEM QUALITY LEVEL III, APPLICATIONS IN CONTROLLED ENVIRONMENTS (CENTRAL OFFICE). REFERENCE: CONTACT MATE AREAS PLATED 0.38µm MIN GOLD OR 0.03µm MIN GOLD OVER 0.30µm MIN PALLADIUM NICKEL, SOLDER TAILS PLATED MATTE-TIN.
- ③ DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 4. MINIMUM HOST PCB THICKNESS: 1.5.
- ⑤ SEE MSA SPECIFICATION SFF-1002 FOR ADDITIONAL PADDLE CARD LAYOUTS COMPATIBLE WITH THIS RECEPTACLE AND FOR OPTIONAL SPLIT CONTACT PAD LAYOUTS FOR THE PADDLE CARD. SPECIFICATION PINOUT MAY ALSO DESIGNATE PAD SEQUENCE DIFFERENT FROM ILLUSTRATION.




YES	2345506-2
NO	2345506-1
PICK AND PLACE TAPE	PART NO


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: J. McCLINTON 24OCT2018	TE Connectivity	
DIMENSIONS: mm		CHK: HOWARD ANDREWS 24OCT2018	RECEPTACLE ASSEMBLY, POWER	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APR: HOWARD ANDREWS 24OCT2018	SIZE: A   00779   C=2345506	
0 PLC	±	PRODUCT SPEC	RESTRICTED TO	
1 PLC	±0.1	APPLICATION SPEC	SCALE: 8:1 SHEET 1 OF 3 REV C	
2 PLC	±0.13	WEIGHT		
3 PLC	±0.050	CUSTOMER DRAWING		
4 PLC	±			
ANGLES	±			
FINISH	±			

REVISIONS				
P.	LTN	DESCRIPTION	DATE	APPROV
-	SEE SHEET 1			


12.07	48V
11.07	12V
DIM L	VOLTAGE RATING





RECOMMENDED PCB LAYOUT AND KEEP OUT AREA PER SFF 1002 <sup>5</sup>



RECOMMENDED PCB LAYOUT AND KEEP OUT AREA PER SFF 1002 <sup>5</sup>



RECOMMENDED PCB LAYOUT AND KEEP OUT AREA FOR SINGLE OR STACKED CONNECTORS



STACKED CONNECTORS ORIENTATION

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: J. McCLINTON 24OCT2018	TE Connectivity
DIMENSIONS: mm		CHK: HOWARD ANDREWS 24OCT2018	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APR: HOWARD ANDREWS 24OCT2018	NAME: RECEPTACLE ASSEMBLY, POWER
0 PLC	±	PRODUCT SPEC	APPLICATION SPEC
1 PLC	±0.1		
2 PLC	±0.13		
3 PLC	±0.050		
4 PLC	±		
ANGLES	±		
MATERIAL:	FINISH:	WEIGHT:	SIZE: CAGE CODE: DRAWING NO: RESTRICTED TO
			A100779C=2345506
CUSTOMER DRAWING		SCALE: 10:1	SHEET 2 OF 3 REV C