NOTES:

I. MATERIAL AND FINISHES:

BODY - BRASS, NICKEL PLATING

CONTACT - PHOSPHOR BRONZE, GOLD PLATING

INSULATOR - PTFE, NATURAL

2. ELECTRICAL:

A. IMPEDANCE: 75 OHM B. FREQUENCY RANGE: 0-1 GHz


3. MECHANICAL:

A. TEMPERATURE RANGE: -65°C TO +165°C

4. PACKAGING:


A. QUANTITY: SINGLE PACK B. MARKING: BAG TO BE MARKED

"AMPHENOL, APH-NJ-FJ, AND DATE CODE"




THIRD ANGLE PROJ. 🕀 🖯

REVISIONS REV DESCRIPTION DATE ECO APPR 28 - Jun - 06 GRS 12 - Aug - 14 2790 ΜZ



SCALE 3.000



CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

<0.5mm 0.5 -		- 30mm	30 - 120mm	ANGLES
± 0.05mm ±0.1m			± 0.3mm	
NOTICE - These drawings,	specifications	, or other d	ata (I) are, and	remain the
property of Amphenol corp				
confidential and not to b				
are given by Amphenol Cor				
other data by Amphenol Co				
not to be regarded by imp rights to permitting such				
product, process or design				
or disclosed by said draw				-,

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE:

	MATERIAL -	DRAWN M.ZHANG	DATE 2 - Aug - 4	TITLE N FFM
	-	ENGINEER TOM	DATE 2 - Aug - 4	ADAPT
	NF-FFI-NT36-75	APPROVED S.HSIEH	DATE 2 - Aug - 4	SCALE: 5.0
	CONFIGURATION LEVEL: FINISH	CAD FILE		DW

N FEMALE TO F FEMALE
ADAPTER - 75 OHMS

SCALE:	5.0:1.0	SHEET	3	OF 3	
DWG SIZE				REV	_
R				R	

	Amphenol Connex
RAWING	NO.
TEM NO	

DRAWI	NG	NO.	
ITEM	NO.		
PART	NO.	242120-75	