



Sensors > Vibration Sensors



Accelerometer Type: **MEMS DC**

Vibration Sensor Product Type: **DC Response Plug & Play Accelerometers**

Number of Sensing Axes: **Triaxial**

Frequency Response: **0-1400 to 0-4500 Hz**

Full Scale Output Voltage: **±2 VDC**

Features

Product Type Features

Accelerometer Type	MEMS DC
Vibration Sensor Product Type	DC Response Plug & Play Accelerometers

Configuration Features

Electrical Connection	Integral Cable
-----------------------	----------------

Electrical Characteristics

Zero Acceleration Output	±50 mV
Excitation Voltage	4 – 30 VDC
Full Scale Output Voltage	±2 VDC

Signal Characteristics

Frequency Response	0-1400 to 0-4500 Hz
--------------------	---------------------

Body Features

Product Weight	30 g[1.06 oz]
Primary Product Material	Anodized Aluminum
Number of Sensing Axes	Triaxial

Mechanical Attachment

Mounting Type	Screw
---------------	-------

Usage Conditions

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
-----------------------------	----------------------------

Industry Standards

IP Rating	IP65
-----------	------

Other

Nonlinearity	±.1 %FSO
Acceleration Range (±)	10 g
Sensitivity	200 mV/g

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	<p>Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Octamethylcyclotetrasiloxane (D4) (.1% in COMPONENT PART) Decamethylcyclopentasiloxane (D5) (.1% in COMPONENT PART) Dodecamethylcyclohexasiloxane (D6) (.1% in COMPONENT PART)</p> <p>Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.</p>
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | MEAS 4630



Customers Also Bought



Documents

[CAD Files](#)

[3D PDF](#)

[3D](#)

[Customer View Model](#)

[ENG_CVM_CVM_20007023-00_E.2d_dxf.zip](#)

English