

**ROHS COMPLIANT** 

## PRODUCT DATA DRAWING

REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED
С	DCN 48136	11/18	STW





**MATERIAL** 

STAINLESS STEEL PER ASTM A630, ALLOY UNS S17400, CONDITION A. BODY:

**PUSH ROD &** 

STAINLESS STEEL PER AMS-5640, ALLOY UNS S30300, TYPE 1 PLUNGER:

SPRING: MUSIC WIRE

**FINISH** 

**PUSH ROD &** 

PLUNGER: PASSIVATED PER AMS-2700.

BODY: ELECTROLESS NICKEL PER SAE 2404, CLASS 1.

NOTES:

REMOVAL TOOL FOR 3221-40019 & 3221-40022. USED ON 67.X CONTACTS, RESPECTIVELY

MATERIAL: **SEE NOTES** FINISH: SEE NOTES SURFACE AREA: N/A **PROPRIETARY** THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SV MICROWAVE, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SV MICROWAVE, INC IS PROHIBITED.

DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: ±1/64 ANGULAR: X° ±1°0' X°X' ±15' DECIMAL: .X ±.030 .XX ±.010 .XXX ±.005

INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994

THIRD ANGLE PROJECTION

## UNLESS OTHERWISE SPECIFIED

1) ALL DIMENSIONS ARE IN INCHES [MILLIMETERS]
2) ALL DIMENSIONS ARE AFTER PLATING,
3) BREAK CORNERS & EDGES 005 R. MAX.
4) CHAM. 1ST & LAST THREADS.
5) SURFACE ROUGHNESS 63-MIL-STD-10.
6) DIA: S ON COMMON CENTERS TO BE CONCENTRIC WITHIN .005 T.I.R.
7) REMOVE ALL BURRS

DRAWN: JMC 03/09/12 CHECKED: STW 03/09/12 APPROVED: STW 03/09/12

500-32-022 B 95077 SCALE: 3:1



