



Main

| | |
|-----------------------|----------------------------------|
| Product Range | Harmony Electromechanical Relays |
| Product Type | Socket |
| Product Compatibility | Relay 792XDX Relay 782XDXH |
| Number of Terminals | 14 |
| Switch Function | 4PDT |
| Contact Composition | 4 C/O |

Complementary

| | |
|--------------------------------|----------------------------------|
| Rated Current | 5 A |
| [Ue] rated operational voltage | 120 V |
| Contact Terminal Arrangement | Mixed |
| Connections Terminals | Pins for printed circuit board |
| Fixing Mode | By screws printed circuit boards |
| Product Weight | 0.20 oz (5.8 g) |
| Width | 0.65 in (16.6 mm) |
| Depth | 1.00 in (25.40 mm) |

Environment

| | |
|---------------------------------------|-----------------------------|
| Ambient Air Temperature for Storage | -40...221 °F (-40...105 °C) |
| Ambient Air Temperature for Operation | -40...131 °F (-40...55 °C) |
| Flame Retardance | UL94-V0 |
| Product Certifications | UL CSA CE |

Ordering and shipping details

| | |
|-----------------------|-----------------|
| GTIN | 3606480277900 |
| Nbr. of units in pkg. | 1 |
| Package weight(Lbs) | 0.20 oz (5.8 g) |

Packing Units


| | |
|------------------------------|-------------------|
| Unit Type of Package 1 | PCE |
| Package 1 Height | 1.00 in (2.54 cm) |
| Package 1 width | 0.75 in (1.9 cm) |
| Package 1 Length | 0.62 in (1.58 cm) |
| Unit Type of Package 2 | BB1 |
| Number of Units in Package 2 | 10 |
| Package 2 Weight | 2.05 oz (58.0 g) |
| Package 2 Height | 0.87 in (2.2 cm) |
| Package 2 width | 1.10 in (2.8 cm) |
| Package 2 Length | 5.20 in (13.2 cm) |
| Unit Type of Package 3 | CAR |

| | |
|------------------------------|-----------------------|
| Number of Units in Package 3 | 1000 |
| Package 3 Weight | 12.79 lb(US) (5.8 kg) |
| Package 3 Height | 8.27 in (21 cm) |
| Package 3 width | 11.42 in (29 cm) |
| Package 3 Length | 12.99 in (33 cm) |

Offer Sustainability

| | |
|----------------------------|--|
| California proposition 65 | WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| REACH Regulation | REACH Declaration |
| REACH free of SVHC | Yes |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| Toxic heavy metal free | Yes |
| Mercury free | Yes |
| RoHS exemption information | Yes |
| China RoHS Regulation | China RoHS Declaration |
| WEEE | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |

Dimensions



- (1) : Metal hold-down clip
- (2) : Recommended circuit board layout top view