


本端子シリーズは、
JIS-C-2805(電線用圧着端子)
及び
JIS-D-5403(自動車用電線端子)
に準ずるものです。

THIS TERMINAL SERIES IS
COMPLIANT WITH
JIS C-2805 (CRIMPING TERMINALS FOR WIRE)
AND
JIS-D-5403 (WIRE TERMINAL FOR AUTOMOBILE).

ネジ締めによる接続を目的とするものです。

SCREW MOUNTING TYPE.




丸形板端子

接続は必ずネジ締めで行う為、その電氣的、機械的特性は特に優れ、最も一般的に使用されます。

RING TERMINAL

CONNECTION IS MADE WITH A SCREW AND THEREFORE IT HAS GOOD ELECTRICAL AND MECHANICAL PERFORMANCES. THIS IS A WIDELY USED CONNECTION SYSTEM.



クワ形板端子


丸形板端子と同様ネジ締めで接続される端子ですが、取付時にネジをはずさなくても簡単に取付けられる様、先端にネジ径に合わせた切込みを有する端子です。

FORK SHAPED TERMINAL

LIKE LA TERMINALS, THIS TERMINAL IS ALSO CONNECTED WITH A SCREW. THE FRONTAL PORTION HAS U-SHAPE, AND THE SLOT HAS AN APPROPRIATE WIDTH FOR THE SCREW SO IT CAN BE ATTACHED WITHOUT REMOVING THE SCREW.

丸形端子 (JIS呼び LA)

RING TERMINAL (LA TERMINAL)




取付ネジ呼び NOMINAL DIAMETER OF SCREW USED	部品番号 PART NUMBER	A	B	C	D	材質 MATERIAL	メッキ PLATING	絶縁カバー (mm) INSULATION COVER	適用電線断面積 (mm ²) WIRE SIZE (mm ²)	形状 PACKAGING METHOD
M3	7009-1325	3.3	7	4	15	黄銅 BRASS	—	4×25	0.5 ~ 1.25	連鎖 STRIP
	7009-1330	3.3	7	5	17	"	—	5.5×25	2 ~ 3	連鎖 STRIP
M4	7009-1326	4.4	8	4	16	黄銅 BRASS	—	4×25	0.5 ~ 1.25	連鎖 STRIP
	7009-1326-02	4.4	8	4	16	"	錫 TIN PLATING	"	"	"
	7009-1336	4.4	8	5	18	"	—	5.5×25	2 ~ 3	連鎖 STRIP
	7009-1340	4.4	10	6	22	"	—	7×25	5 ~ 8	バ、連 STRIP AND LOOSE PIECE
M5	7009-1327	5.4	10	4	17	黄銅 BRASS	—	4×25	0.5 ~ 1.25	連鎖 STRIP
	7009-1327-02	5.4	10	4	17	"	錫 TIN PLATING	"	"	"
	7009-1337	5.4	10	5	19	"	—	5.5×25	2 ~ 3	連鎖 STRIP
	7009-1337-02	5.4	10	5	19	"	錫 TIN PLATING	"	"	"
	7009-1341	5.4	10	6	22	"	—	7×25	5 ~ 8	バ、連 STRIP AND LOOSE PIECE
	7009-1350	5.4	10	7	25	"	—	9×25	15	"
M6	7009-1323	6.4	12	4	18	黄銅 BRASS	—	4×25	0.5 ~ 1.25	バ、連 STRIP AND LOOSE PIECE
	7009-1323-02	6.4	12	4	18	"	錫 TIN PLATING	"	"	連鎖 STRIP
	7009-1333	6.4	12	5	20	"	—	5.5×25	2 ~ 3	バ、連 STRIP AND LOOSE PIECE
	7009-1342	6.4	12	6	23	"	—	7×25	5 ~ 8	"
	7009-1351	6.4	12	7	26	"	—	9×25	15	"
M8	7009-1324	8.4	16	4	20	黄銅 BRASS	—	4×25	0.5 ~ 1.25	バ、連 STRIP AND LOOSE PIECE
	7009-1334	8.4	16	5	22	"	—	5.5×25	2 ~ 3	"
	7009-1343	8.4	16	6	25	"	—	7×25	5 ~ 8	"
	7009-1352	8.4	16	7	28	"	—	9×25	15	"
	7009-1910	8.4	25	4	24.5	"	—	4×25	0.5 ~ 1.25	連鎖 STRIP
M10	7009-1335	10.4	20	5	24	黄銅 BRASS	—	5.5×25	2 ~ 3	バ、連 STRIP AND LOOSE PIECE
	7009-1344	10.4	20	6	27	"	—	7×25	5 ~ 8	連鎖 STRIP
	7009-1353	10.4	20	7	30	"	—	9×25	15	バ、連 STRIP AND LOOSE PIECE
M12	7009-1328	12.6	24	4	25	黄銅 BRASS	—	4×25	0.5 ~ 1.25	バ、連 STRIP AND LOOSE PIECE
	7009-1345	12.4	24	6	29	"	—	7×25	5 ~ 8	連鎖 STRIP
	7009-1354	12.6	24	7	32	"	—	9×25	15	"
M14	7009-1355	14.7	24	7	32	黄銅 BRASS	—	9×25	15	バ、連 STRIP AND LOOSE PIECE

特殊クワ形端子 (JIS呼び LE)

本端子はメッキ処理はありません。

FORK SHAPED TERMINAL (LE TERMINAL)

THIS TERMINAL IS NO PLATING.



取付ネジ呼び NOMINAL DIAMETER OF SCREW USED	部品番号 PART NUMBER	A	B	C	D	材質 MATERIAL	絶縁カバー (mm) INSULATION COVER	適用電線断面積 (mm ²) WIRE SIZE (mm ²)	形状 PACKAGING METHOD
M3	7010-3014	3.3	7	4.3	16	黄銅 BRASS	4×25	0.5 ~ 1.25	連鎖 STRIP
	7010-3020	3.3	7	5	19	"	5.5×25	2 ~ 5	"
M4	7010-3015	4.4	8	4.3	17	黄銅 BRASS	4×25	0.5 ~ 1.25	連鎖 STRIP
	7010-3025	4.4	8	5	19	"	5.5×25	2 ~ 5	"
	7010-3031	4.6	8	4.5	21	"	6.5×25	1.25 + 0.85 ~ 3 + 1.25	バラ LOOSE PIECE
	7010-3041	4.6	8	4.5	21	"	7×25	3 + 2 ~ 5 + 1.25	"
	7010-3051	4.6	8	4.5	21	"	7×25	5 + 2 ~ 8 + 2	"
M5	7010-3016	5.4	10	4.3	18	黄銅 BRASS	4×25	0.5 ~ 1.25	連鎖 STRIP
	7010-3026	5.4	9	5	20	"	5.5×25	2 ~ 5	"
	7010-3032	5.6	10	4.5	22	"	6.5×25	1.25 + 0.85 ~ 3 + 1.25	バラ LOOSE PIECE
	7010-3052	5.6	10	4.5	22	"	7×25	5 + 2 ~ 8 + 2	"
M6	7010-3017	6.4	12	4.3	19	黄銅 BRASS	4×25	0.5 ~ 1.25	連鎖 STRIP
	7010-3023	6.4	10	5	21	"	5.5×25	2 ~ 5	"
	7010-3043	6.6	12	4.5	23	"	7×25	3 + 2 ~ 5 + 1.25	バラ LOOSE PIECE
M8	7010-3024	8.4	12	5	23	黄銅 BRASS	5.5×25	2 ~ 5	連鎖 STRIP