

THIS DRAWING IS UNPUBLISHED.


RELEASED FOR PUBLICATION

© COPYRIGHT - By -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	S2	REVISED PER ECR-17-009545	07AUG2017	AS	RS



- 1. COPPER ALLOY
- △2 GOLD PLATE PER MIL-G-45204, 0.76µm [.000030] MIN THICKNESS.
- △3 SILVER PLATE PER QQ-S-365, 5.08µm [.000200] MIN THICKNESS.
- △4 TIN-LEAD PLATE PER ASTM-B-545, 2.54µm [.000100] MIN THICKNESS
- △5 MATTE TIN PLATE PER ASTM-B-545, 2.54µm [.000100] MIN THICKNESS

SUPERCEDED BY 9-329099-0	△3	9-329099-2
	△5	9-329099-1
OBSOLETE	△5	9-329099-0
	△2	1-329099-3
	△4	1-329099-1
SUPERCEDED BY 9-329099-2	△3	329099
	FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN MICHAEL E. COWHER 14NOV95	STE TE Connectivity		
DIMENSIONS: mm [INCHES]		CHK FRANK MORANA 14NOV95			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD FRANK MORANA 14NOV95	NAME		
0 PLC ± -		PRODUCT SPEC	FERRULE		
1 PLC ± -		APPLICATION SPEC	SIZE	CAGE CODE	DRAWING NO
2 PLC ± -		—	A3	00779	C-329099
3 PLC ± -		—	RESTRICTED TO		
4 PLC ± -		—	—		
ANGLES ± -		WEIGHT	SCALE		
MATERIAL		0.000000	10:1		
FINISH		CUSTOMER DRAWING	SHEET		
△1			1 OF 1		
△2 △3 △4 △5			REV		
			S2		