

### Straight Panel Jack Receptacle

- Extended contact and insulator
- 1/2" square flange

Captive contact:


9004-1113-000 (Gold plated)

9004-9113-000 (Passivated)

Noncaptive contact:

9004-1213-000 (Gold plated)

9004-9213-000 (Passivated)



### Straight Panel Jack Receptacle

- Extended contact and insulator
- 2-hole flange

Captive contact:


9008-1113-000 (Gold plated)

9008-9113-000 (Passivated)

Noncaptive contact:

9008-1213-000 (Gold plated)

9008-9213-000 (Passivated)



### Straight Panel Jack Receptacle

- Extended contact and insulator
- 3/8" square flange

Captive contact:


9076-1113-000 (Gold plated)

9076-9113-000 (Passivated)

Noncaptive contact:

9076-1213-000 (Gold plated)

9076-9213-000 (Passivated)



### Straight Panel Jack Receptacle

- Extended contact and insulator
- Rectangular flange

Captive contact:


9007-1113-000 (Gold plated)


9007-9113-000 (Passivated)

Noncaptive contact:

9007-1213-000 (Gold plated)

9007-9213-000 (Passivated)






## Straight Panel Jack Receptacle

- Solder pot contact
- 1/2" square flange

Captive contact:  
**9404-1113-000** (Gold plated)  
**9404-9113-000** (Passivated)

QPL version available (M39012/60)




## Straight Panel Jack Receptacle

- Solder pot contact
- 2-hole flange

Captive contact (A = .030):  
**9408-1113-000** (Gold plated)  
**9408-9113-000** (Passivated)

Captive contact (A = .000):  
**9408-1113-002** (Gold plated)  
**9408-9113-002** (Passivated)


QPL version available (M39012/60)



## Straight Panel Jack Receptacle

- Solder pot contact
- 3/8" square flange

Captive contact:  
**9476-1113-000** (Gold plated)  
**9476-9113-000** (Passivated)



## Straight Panel Jack Receptacle

- Solder pot contact
- Rectangular flange

Captive contact:  
**9407-1113-000** (Gold plated)  
**9407-9113-000** (Passivated)




**Straight Panel Jack Receptacle**

- Tab contact
- 1/2" square flange

Captive contact:  
**9104-1113-000** (Gold plated)  
**9104-9113-000** (Passivated)

Noncaptive contact:  
**9104-1213-000** (Gold plated)  
**9104-9213-000** (Passivated)




**Straight Panel Jack Receptacle**

- Tab contact
- 2-hole flange

Captive contact:  
**9108-1113-000** (Gold plated)  
**9108-9113-000** (Passivated)

Noncaptive contact:  
**9108-1213-000** (Gold plated)  
**9108-9213-000** (Passivated)




**Straight Panel Jack Receptacle**

- Tab contact
- 3/8" square flange

Captive contact:  
**9176-1113-000** (Gold plated)  
**9176-9113-000** (Passivated)

Noncaptive contact:  
**9176-1213-000** (Gold plated)  
**9176-9213-000** (Passivated)




**Straight Panel Jack Receptacle**

- Tab contact
- Rectangular flange

Captive contact:  
**9107-1113-000** (Gold plated)  
**9107-9113-000** (Passivated)


Noncaptive contact:  
**9107-1213-000** (Gold plated)  
**9107-9213-000** (Passivated)



Tab contacts available in other lengths, widths, and thicknesses

## Straight Panel Jack Receptacle


- Slotted contact
- 1/2" square flange



Dim. A	Captive contact:	
.012	<b>9204-1113-002</b>	(Gold plated)
	<b>9204-9113-002</b>	(Passivated)
.018	<b>9204-1113-001</b>	(Gold plated)
	<b>9204-9113-001</b>	(Passivated)
.025	<b>9204-1113-003</b>	(Gold plated)
	<b>9204-9113-003</b>	(Passivated)
	Noncaptive contact:	
.012	<b>9204-1213-002</b>	(Gold plated)
	<b>9204-9213-002</b>	(Passivated)
.018	<b>9204-1213-001</b>	(Gold plated)
	<b>9204-9213-001</b>	(Passivated)
.025	<b>9204-1213-003</b>	(Gold plated)
	<b>9204-9213-003</b>	(Passivated)

## Straight Panel Jack Receptacle

- Slotted contact
- 2-hole flange



Dim. A	Captive contact:	
.012	<b>9208-1113-000</b>	(Gold plated)
	<b>9208-9113-000</b>	(Passivated)
.018	<b>9208-1113-001</b>	(Gold plated)
	<b>9208-9113-001</b>	(Passivated)
.025	<b>9208-1113-002</b>	(Gold plated)
	<b>9208-9113-002</b>	(Passivated)
	Noncaptive contact:	
.012	<b>9208-1213-000</b>	(Gold plated)
	<b>9208-9213-000</b>	(Passivated)
.018	<b>9208-1213-001</b>	(Gold plated)
	<b>9208-9213-001</b>	(Passivated)
.025	<b>9208-1213-002</b>	(Gold plated)
	<b>9208-9213-002</b>	(Passivated)