



ANT-8WIRE

Features

- Vertical Polarisation
- Omni-Directional Design
- 50ohm Impedance
- Dimensions 44 x 10mm
- $\frac{1}{4}$ wavelength Antenna
- Omni Directional
- Gain: 2dBi
- Connector SMA (Male) or UFL
- Rugged Heat-shrink overbody
- Weight 9g



Applications

- General Low Power Radio
- IOT / M2M Applications

Description

A flexible wire antenna with either SMA male or UFL fixing for general purpose applications. This ready to operate antenna requires no tuning and provides optimum range and reliability to your application.

Ordering Information



Part No	Description
ANT-8WIRE-UFL	868MHz Wire Antenna 95mm UFL +2dBi
ANT-8WIRE-SMA	868MHz Wire Antenna 100mm SMA(M) +2dBi
ANT-8WIRE-SMARP	868MHz Wire Antenna 100mm SMA(M) Reverse Polarity +2dBi

ANT-8WIRE



ANT-8WIRE-SMA

- Over wire end stop.
- 2mm solid single core wire.
- Heat shrink body.
- SMA male, Nickel plated, PTFE Dielectric.



ANT-8WIRE-UFL

- 0.5mm solid single core wire.
- Heat shrink body.
- Over wire end crimped.
- UFL (Female), Nickel plated, PTFE Dielectric.

