

User Guide

UG000483

AS8579-TS_EK_DB

User Manual (HW/SW)

DemoKit Capacitive Sensor

v1-01 • 2020-May-26



6

Content Guide

1	Introduction	3
1.1	Ordering Information	3
2	First Steps	4
2.1 2.2	Demo Box Content How to Start	4 5
3	Hardware	6
3.1 3.2	Schematic Layout	6 7

4	Software	8
4.1	GUI Overview and Description	.8
5	Revision Information	9
6	Legal Information1	0

1 Introduction

This manual explains how to use the AS8579-TS_EK_DB hardware in combination with the included software GUI. Both (HW & SW) are designed to test and evaluate the features of AS8579 capacitive sensor. The AS8579 is a sensor, which measures the capacitive value by separately measuring the 10-bit Information (accumulated to 14-bit) of I and Q. This 14-bit information provides the capacitance of the application. The I and Q data can be read over an SPI interface.

1.1 Ordering Information

Ordering Code	Description	
AS8579-TS_EK_DB	AS8579 Demokit	

2 First Steps

2.1 Demo Box Content

The AS8579-TS_EK_DB contains the following material:

- Mini USB Cable
- USB Stick (with Manual and Software)
- USB I&P Box
- AS8579 Demoboard (Hardware)

Figure 1: Box Content



2.2 How to Start

Please use the following instructions to get the Demoboard and software running:

- 1. Open AS8579-TS_EK_DB user manual and read instructions carefully (from USB Stick)
- Run AS5xxx_EvalSW_USB-I&P-Box_v1-6-0.exe on your PC to install the software (from USB Stick)
- 3. Connect USB I&P Box with AS8579 Demoboard
- Check if Jumper is set to ONBoardCLK (see Figure 3: Jumper Setting OnBoardCLK)
- 5. Connect the desired SEN lines of AS8579 Demoboard (use header or test pins) to your measurement circuit
- 6. Connect USB I&P Box with PC via Micro USB cable
- 7. Run USB I&P Box software on your PC and select AS8579 from dropdown menu
- 8. Select the right SEN line and start testing and evaluating.

Figure 2: Connection Diagram



Figure 3: Jumper Setting OnBoardCLK



3 Hardware

3.1 Schematic

Figure 4: Schematic



3.2 Layout

Figure 5: Layout



4 Software

4.1 GUI Overview and Description

Figure 6:

GUI Overview + Legend



5 Revision Information

Changes from previous version to current revision v1-01

Page

Initial version

Page and figure numbers for the previous version may differ from page and figure numbers in the current revision.

Correction of typographical errors is not explicitly mentioned.