# **PRODUCT** DATASHEET C12360\_STRADA-2X2-DNW

#### STRADA-2X2-DNW

Soft wide illuminance beam with good uniformity

#### SPECIFICATION:

**Dimensions** 50.0 x 50.0 mm 11.3 mm Height Fastening glue, pin, screw yes 🕕 **ROHS** compliant



#### **MATERIALS:**

Component **Type** Material Colour **Finish** STRADA-2X2-DNW Multi-lens **PMMA** clear


#### **ORDERING INFORMATION:**

Component

C12360\_STRADA-2X2-DNW » Box size: 480 x 280 x 300 mm Qty in box MOQ MPQ Box weight (kg) 800 160 160 8.2



# PRODUCT DATASHEET C12360\_STRADA-2X2-DNW




See also our general installation guide: <a href="www.ledil.com/installation\_guide">www.ledil.com/installation\_guide</a>





LED QUICK FLUX XTP 2x4 xxx LS G5


FWHM / FWTM Asymmetric Efficiency 94 % Peak intensity 0.6 cd/lm LEDs/each optic Light colour White Required components:



#### COMET

LED QUICK FLUX XTP 2x6 xxx LS G5

FWHM / FWTM Asymmetric Efficiency 94 % Peak intensity 0.6 cd/lm LEDs/each optic 1 White Light colour Required components:




# CREE \$

XP-G LED  $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric

Efficiency 93 % Peak intensity 0.4 cd/lm LEDs/each optic Light colour White

Required components:



# CREE \$

XP-G2 FWHM / FWTM Asymmetric 94 % Efficiency Peak intensity 0.6 cd/lm LEDs/each optic White Light colour

Required components:





LED XP-G3


 $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric 95 %

Efficiency Peak intensity 0.5 cd/lm

LEDs/each optic

Light colour White

Required components:



# CREE &

LED XP-G3

FWHM / FWTM Asymmetric


Efficiency 79 %

Peak intensity 0.5 cd/lm

LEDs/each optic 1 White

Light colour Required components:

C17677\_STRADA-2X2-SHD-BLK



# CREE +

LED XP-G3

 $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric

Efficiency 89 %


Peak intensity 0.5 cd/lm

LEDs/each optic

Light colour White

Required components:

C17580\_STRADA-2X2-SHD-WHT



# CREE 🕏

XP-L HD


FWHM / FWTM Asymmetric

Efficiency 94 % Peak intensity 0.5 cd/lm

LEDs/each optic

White Light colour

Required components:





# CREE &

Light colour

LED XP-L HI


FWHM / FWTM Asymmetric Efficiency 94 %

Peak intensity 0.6 cd/lm

LEDs/each optic 1

White

Required components:



# CREE \$

LED XP-L2


FWHM / FWTM Asymmetric

Efficiency 94 %

Peak intensity 0.4 cd/lm

LEDs/each optic 1 Light colour White

Required components:



# CREE &

LED XT-E


FWHM / FWTM Asymmetric

Efficiency 93 %

Peak intensity 0.3 cd/lm

LEDs/each optic 1 Light colour White

Required components:



# CREE \$


LED XT-E HVW

FWHM / FWTM Asymmetric Efficiency %

LEDs/each optic 1

Light colour White

Required components:









LED LUXEON MZ  $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric Efficiency 94 % Peak intensity 0.4 cd/lm LEDs/each optic

Light colour White Required components:



#### **MUMILEDS**


LED LUXEON Q FWHM / FWTM Asymmetric Efficiency 94 % Peak intensity 0.6 cd/lm LEDs/each optic 1 White Light colour Required components:



### LUMILEDS

LED LUXEON Rebel ES  $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric Efficiency 93 % Peak intensity 0.3 cd/lm LEDs/each optic


Light colour White Required components:



### LUMILEDS

LED LUXEON T FWHM / FWTM Asymmetric Efficiency 93 % Peak intensity 0.6 cd/lm LEDs/each optic


White Light colour Required components:








LED LUXEON TX
FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White
Required components:




#### **MUMILEDS**

LED LUXEON V2
FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White
Required components:



### **MUMILEDS**

LED LUXEON Z ES
FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White




### Your solutions


Required components:

LED RecLED 122x50mm 1900lm 730 2x4 Opt G1

FWHM / FWTM Asymmetric
Efficiency 97 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White
Required components:










LED PrevaLED Brick HP 2x8


 $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric Efficiency 94 % Peak intensity 0.6 cd/lm LEDs/each optic Light colour White Required components:



#### **OSRAM**

LED OSLON Square CSSRM2/CSSRM3


FWHM / FWTM Asymmetric Efficiency 94 % Peak intensity 0.6 cd/lm LEDs/each optic 1 White Light colour Required components:



# OSRAM Opto Semiconductor

LED OSLON Square PC FWHM / FWTM Asymmetric Efficiency 93 %


Peak intensity 0.5 cd/lm LEDs/each optic Light colour White Required components:



# **PHILIPS**

Fortimo FastFlex LED 2x8 DA G4


FWHM / FWTM Asymmetric 94 % Efficiency Peak intensity 0.7 cd/lm LEDs/each optic White Light colour Required components:






Fortimo FastFlex LED 2x8 DA G4+

FWHM / FWTM Asymmetric Efficiency 97 % Peak intensity 0.6 cd/lm LEDs/each optic Light colour White Required components:



Fortimo FastFlex LED 2x8 DA G5 LED


FWHM / FWTM Asymmetric Efficiency 97 % Peak intensity 0.6 cd/lm LEDs/each optic 1 White Light colour Required components:



# **PHILIPS**

LED Fortimo FastFlex LED 2x8 DAX G4


 $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric Efficiency 94 % LEDs/each optic Light colour White Required components:



# **SAMSUNG**

HiLOM RC12 Z (LH181B)

FWHM / FWTM Asymmetric 97 % Efficiency Peak intensity 0.5 cd/lm LEDs/each optic White Light colour Required components:






# **SAMSUNG**

LED HILOM RH12 Z (LH351C)

FWHM / FWTM Asymmetric
Efficiency 97 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White

Required components:



# SAMSUNG

LED HILOM RH16 (LH351C)

FWHM / FWTM Asymmetric


Efficiency 94 %

Peak intensity 0.6 cd/lm

LEDs/each optic 1

Light colour White


Required components:



# SAMSUNG

LED LH351B
FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1


Light colour White Required components:



# **SAMSUNG**

FWHM / FWTM Asymmetric
Efficiency 94 %

Peak intensity 0.5 cd/lm LEDs/each optic 1
Light colour White Required components:





# **SAMSUNG**


LED LH351Z

FWHM / FWTM Asymmetric Efficiency 94 %

Peak intensity 0.6 cd/lm

LEDs/each optic 1 Light colour White

Required components:




#### **38176**0

LED LED-Pa-L15c2W11c2-xxx-C050-01

FWHM / FWTM Asymmetric
Efficiency 97 %
Peak intensity 0.6 cd/lm

LEDs/each optic 1
Light colour White
Required components:




# SEOUL SEMICONDUCTOR

LED Acrich MJT 4040
FWHM / FWTM Asymmetric
Efficiency 94 %

Peak intensity 0.5 cd/lm LEDs/each optic 1 Light colour White

Required components:




### SEOUL SEMICONDUCTOR

LED Z5

FWHM / FWTM Asymmetric
Efficiency 93 %
LEDs/each optic 1

Light colour White Required components:








#### **TOSHIBA**

#### Leading Innovation >>

LED TL1L4
FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White
Required components:



# **TRIDONIC**


LED RLE 2x4 2000lm HP EXC2 OTD

FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.7 cd/lm
LEDs/each optic 1
Light colour White
Required components:

### TRIDONIC

LED RLE 2x8 4000lm HP EXC2 OTD


FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.7 cd/lm
LEDs/each optic 1
Light colour White
Required components:



# **TRIDONIC**

LED RLE G1 49x121mm 2000lm xxx EXC OTD

FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 1 cd/lm
LEDs/each optic 1
Light colour White
Required components:






# **TRIDONIC**

LED RLE G1 49x133mm 2000lm xxx EXC OTD


FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 1 cd/lm
LEDs/each optic 1
Light colour White
Required components:



# **TRIDONIC**

LED RLE G1 49x223mm 4000lm xxx EXC OTD


FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 1 cd/lm
LEDs/each optic 1
Light colour White
Required components:



### TRIDONIC

LED RLE G1 49x245mm 4000lm xxx EXC OTD

FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 1 cd/lm
LEDs/each optic 1
Light colour White
Required components:





# CREE &

LED

XP-G2

FWHM / FWTM Efficiency

Asymmetric 91 %

Peak intensity

0.7 cd/lm


LEDs/each optic

Light colour

White

Required components:

C17580\_STRADA-2X2-SHD-WHT



# CREE &

LED

XP-G2

FWHM / FWTM

Asymmetric

Efficiency

78 %

Peak intensity LEDs/each optic 0.5 cd/lm


1

Light colour

White

Required components:

Protective plate, glass



# CREE \$

LED

XP-G2 HE

 $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ 

Asymmetric

Efficiency Peak intensity 94 %


LEDs/each optic

0.6 cd/lm

Light colour

1 White

Required components:



# CREE \$

FWHM / FWTM

XP-G3

Efficiency

Asymmetric

Peak intensity


77 % 0.4 cd/lm

LEDs/each optic Light colour

White

Required components:

Protective plate, glass





# CREE &

LED XP-G3

FWHM / FWTM Asymmetric

Efficiency 73 % Peak intensity 0.4 cd/lm

LEDs/each optic Light colour White

Required components:

C17580\_STRADA-2X2-SHD-WHT

Protective plate, glass

# CREE \$

LED XP-G4

FWHM / FWTM Asymmetric Efficiency 79 %


Peak intensity 0.5 cd/lm

LEDs/each optic 1

White Light colour

Required components:

Protective plate, glass



# CREE \$

LED

XP-G4


FWHM / FWTM Asymmetric Efficiency 95 %

Peak intensity 0.6 cd/lm

LEDs/each optic 1

Light colour White

Required components:



# CREE -

XP-L2

FWHM / FWTM Asymmetric Efficiency 78 %


Peak intensity 0.4 cd/lm

LEDs/each optic

White Light colour

Required components:

Protective plate, glass








LED LUXEON H50-2

FWHM / FWTM Asymmetric Efficiency %

LEDs/each optic 1

Light colour White

Required components:



#### **MUMILEDS**


LED LUXEON HL2X FWHM / FWTM Asymmetric

Efficiency 78 %
Peak intensity 0.5 cd/lm

LEDs/each optic 1

Light colour White Required components:

Protective plate, glass




#### **MUMILEDS**

LED LUXEON HL2Z FWHM / FWTM Asymmetric

Efficiency 95 %

Peak intensity 0.6 cd/lm LEDs/each optic 1 Light colour White

Required components:




#### **DESCRIPTION** LUMILEDS

LED LUXEON HL2Z FWHM / FWTM Asymmetric

Efficiency 80 %
Peak intensity 0.5 cd/lm

LEDs/each optic 1
Light colour White
Required components:

Protective plate, glass








our solutior

LED RecLED 122x50mm 1900lm 730 2x4 Opt G1

FWHM / FWTM Asymmetric
Efficiency 79 %
Peak intensity 0.4 cd/lm
LEDs/each optic 1
Light colour White
Required components:


Protective plate, glass



#### **WNICHIA**

LED NF2x757G
FWHM / FWTM Asymmetric
Efficiency 78 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White
Required components:


Protective plate, glass



#### **WNICHIA**


LED NFSx757G
FWHM / FWTM Asymmetric
Efficiency 79 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White
Required components:

Protective plate, glass




#### **WNICHIA**

LED NV4WB35AM
FWHM / FWTM Asymmetric
Efficiency 95 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White
Required components:










LED NVSxx19B/NVSxx19C

FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White

Required components:




#### OSRAM

LED PrevaLED Brick HP 2x8

FWHM / FWTM Asymmetric
Efficiency 77 %
Peak intensity 0.4 cd/lm
LEDs/each optic 1
Light colour White

Protective plate, glass

Required components:




#### **OSRAM**

Opto Semiconductors

LED OSCONIQ P 3737 (3W version)

FWHM / FWTM Asymmetric
Efficiency 78 %
Peak intensity 0.4 cd/lm
LEDs/each optic 1
Light colour White

Protective plate, glass




#### **OSRAM**

Required components:

LED OSCONIQ P 3737 (3W version)

FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White
Required components:



# PRODUCT DATASHEET C12360\_STRADA-2X2-DNW


#### **OPTICAL RESULTS (SIMULATED):**

#### **OSRAM**

LED OSLON Square CSSRM2/CSSRM3

FWHM / FWTM Asymmetric
Efficiency 88 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White
Required components:

C17677\_STRADA-2X2-SHD-BLK



#### **OSRAM**


Opto Semiconductors

LED OSLON Square CSSRM2/CSSRM3

FWHM / FWTM Asymmetric
Efficiency 76 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White

Required components: C17580\_STRADA-2X2-SHD-WHT

Protective plate, glass



#### **OSRAM**

Opto Semiconductors

LED OSLON Square CSSRM2/CSSRM3

FWHM / FWTM Asymmetric
Efficiency 72 %
Peak intensity 0.4 cd/lm
LEDs/each optic 1
Light colour White
Required components:

C17677\_STRADA-2X2-SHD-BLK


Protective plate, glass

#### **OSRAM**

LED OSLON Square CSSRM2/CSSRM3

FWHM / FWTM Asymmetric
Efficiency 91 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White
Required components:

C17580\_STRADA-2X2-SHD-WHT






#### **OSRAM**

LED OSLON Square CSSRM2/CSSRM3

FWHM / FWTM Asymmetric
Efficiency 78 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White
Required components:

Protective plate, glass



#### **OSRAM**


Opto Semiconductor

LED OSLON Square CSSRM2/CSSRM3

FWHM / FWTM Asymmetric
Efficiency 80 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White

Required components:

Protective plate, glass




#### **PHILIPS**

Required components:

LED Fortimo FastFlex LED 2x8 DA G5

FWHM / FWTM Asymmetric
Efficiency 80 %
Peak intensity 0.4 cd/lm
LEDs/each optic 1
Light colour White

Protective plate, glass




# **SAMSUNG**

Required components:

LED HiLOM RH12 Z (LH351C)

FWHM / FWTM Asymmetric
Efficiency 80 %
Peak intensity 0.4 cd/lm
LEDs/each optic 1
Light colour White

Protective plate, glass





# **SAMSUNG**

LH351B

 $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric

Efficiency 75 %


Peak intensity 0.4 cd/lm

LEDs/each optic

Light colour White

Required components:

Protective plate, glass



#### SEOUL SEOUL SEMICONDUCTOR

LED

Acrich MJT 4040

FWHM / FWTM Asymmetric

Efficiency 78 %


Peak intensity 0.4 cd/lm

LEDs/each optic 1

White Light colour

Required components:

Protective plate, glass



# TRIDONIC

LED RLE 2x8 4000lm HP EXC2 OTD

 $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric

Efficiency 81 %

Peak intensity 0.5 cd/lm

LEDs/each optic 1

Light colour White

Required components:

Protective plate, glass

