

STRADA-2X2-A-T

Short IESNA Type II beam for narrow roads or high poles with extremely low glare

SPECIFICATION:

 $\begin{array}{lll} \text{Dimensions} & 50.0 \text{ x } 50.0 \text{ mm} \\ \text{Height} & 7.7 \text{ mm} \\ \text{Fastening} & \text{glue, pin, screw} \\ \text{ROHS compliant} & \text{yes} \end{array}$



MATERIALS:

ComponentTypeMaterialColourFinishSTRADA-2X2-A-TMulti-lensPMMAclear


ORDERING INFORMATION:

Component

C12419_STRADA-2X2-A-T » Box size: 480 x 280 x 300 mm **Qty in box MOQ MPQ Box weight (kg)** 800 160 160 8.1



PRODUCT DATASHEET C12419_STRADA-2X2-A-T



See also our general installation guide: www.ledil.com/installation_guide




CREE &

LED XP-G $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric Efficiency 93 % Peak intensity 0.5 cd/lm LEDs/each optic Light colour White Required components:

CREE &


LED XP-G2 FWHM / FWTM Asymmetric Efficiency 94 % Peak intensity 0.9 cd/lm LEDs/each optic 1 White Light colour Required components:



CREE +

LED XP-G3 $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric Efficiency 84 % Peak intensity 0.7 cd/lm LEDs/each optic Light colour White Required components:


C17677_STRADA-2X2-SHD-BLK



CREE 🕏

XP-G3 FWHM / FWTM Asymmetric Efficiency 92 % Peak intensity 0.7 cd/lm LEDs/each optic White Light colour Required components:

C17580_STRADA-2X2-SHD-WHT







LED XP-G3


 $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric Efficiency 97 %

Peak intensity 0.7 cd/lm

LEDs/each optic

Light colour White

Required components:



CREE &

LED XP-L HD

FWHM / FWTM Asymmetric


Efficiency 94 %

Peak intensity 0.7 cd/lm

LEDs/each optic 1

White Light colour

Required components:



CREE +

LED

XP-L HI

 $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric Efficiency 94 %

Peak intensity 0.9 cd/lm

LEDs/each optic

Light colour White Required components:

CREE \$

XP-L2


FWHM / FWTM Asymmetric

94 % Efficiency Peak intensity 0.6 cd/lm

LEDs/each optic

White Light colour

Required components:







LED XT-E


FWHM / FWTM Asymmetric Efficiency 93 %

Efficiency 93 %
Peak intensity 0.5 cd/lm

LEDs/each optic 1

Light colour White

Required components:



DESCRIPTION LUMILEDS


LED LUXEON H50-2

FWHM / FWTM Asymmetric

Efficiency 0 % LEDs/each optic 1

Light colour White

Required components:



MATERIAL PROPERTY OF THE PROP

LED LUXEON MZ


FWHM / FWTM Asymmetric

Efficiency 94 %

Peak intensity 0.8 cd/lm

LEDs/each optic 1

Light colour White Required components:



MUMILEDS

LED LUXEON Q


FWHM / FWTM Asymmetric

Efficiency 94 %

Peak intensity 0.8 cd/lm

LEDs/each optic 1 Light colour White

Required components:








LED LUXEON Rebel ES

 $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric Efficiency 93 % Peak intensity 0.5 cd/lm LEDs/each optic


Light colour White Required components:



LUMILEDS

LED LUXEON T FWHM / FWTM Asymmetric Efficiency 94 % Peak intensity 0.8 cd/lm LEDs/each optic 1


White Light colour Required components:



LUMILEDS

LED LUXEON TX $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric Efficiency 94 % Peak intensity 0.9 cd/lm


LEDs/each optic Light colour White Required components:




Your solutions

RecLED 122x50mm 1900lm 730 2x4 Opt G1

FWHM / FWTM Asymmetric Efficiency 98 % Peak intensity 0.7 cd/lm LEDs/each optic White Light colour Required components:







94 %

White

0.7 cd/lm

Efficiency


Peak intensity

Light colour

LEDs/each optic

Required components:








OSRAM

LED OSLON Square PC

FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.8 cd/lm
LEDs/each optic 1
Light colour White




PHILIPS

Required components:

LED Fortimo FastFlex LED 2x8 DA G4


FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.9 cd/lm
LEDs/each optic 1
Light colour White
Required components:



PHILIPS

LED Fortimo FastFlex LED 2x8 DA G4+


FWHM / FWTM Asymmetric
Efficiency 98 %
Peak intensity 0.7 cd/lm
LEDs/each optic 1
Light colour White
Required components:



PHILIPS

LED Fortimo FastFlex LED 2x8 DA G5

FWHM / FWTM Asymmetric
Efficiency 98 %
Peak intensity 0.7 cd/lm
LEDs/each optic 1
Light colour White
Required components:






SAMSUNG

HiLOM RC12 Z (LH181B)

 $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric Efficiency 99 % Peak intensity 0.9 cd/lm LEDs/each optic Light colour White


Required components:



SAMSUNG

LED HiLOM RH16 (LH351C)


FWHM / FWTM Asymmetric Efficiency 94 % Peak intensity 0.8 cd/lm LEDs/each optic 1 White Light colour Required components:



SAMSUNG

LED LH351B FWHM / FWTM Asymmetric Efficiency 94 % Peak intensity 0.7 cd/lm

LEDs/each optic Light colour White Required components:




SAMSUNG

FWHM / FWTM Asymmetric

94 % Efficiency Peak intensity 0.6 cd/lm LEDs/each optic

White Light colour Required components:





SAMSUNG


LED LH351Z FWHM / FWTM Asymme

FWHM / FWTM Asymmetric Efficiency 94 %

Peak intensity 0.8 cd/lm

LEDs/each optic 1 Light colour White

Required components:




381760

LED LED-Pa-L15c2W11c2-xxx-C050-01

FWHM / FWTM Asymmetric
Efficiency 98 %
Peak intensity 0.8 cd/lm
LEDs/each optic 1
Light colour White

Required components:




SEOUL SEMICONDUCTO

LED Acrich MJT 4040

FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.7 cd/lm

LEDs/each optic 1
Light colour White
Required components:




SEOUL SEMICONDUCTOR

LED Z5

FWHM / FWTM Asymmetric
Efficiency 93 %
LEDs/each optic 1
Light colour White
Required components:








TOSHIBA

Leading Innovation


LED TL1L3
FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.7 cd/lm
LEDs/each optic 1
Light colour White
Required components:



TOSHIBA

Leading Innovation >>

LED TL1L4
FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.9 cd/lm
LEDs/each optic 1
Light colour White
Required components:



TRIDONIC


LED RLE 2x4 2000lm HP EXC2 OTD

FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 1 cd/lm
LEDs/each optic 1
Light colour White
Required components:



LED RLE 2x8 4000lm HP EXC2 OTD

FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 1 cd/lm
LEDs/each optic 1
Light colour White
Required components:






TRIDONIC

RLE G1 49x121mm 2000lm xxx EXC OTD


 $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric Efficiency 94 % Peak intensity 0.8 cd/lm LEDs/each optic Light colour White Required components:



TRIDONIC

LED RLE G1 49x133mm 2000lm xxx EXC OTD


FWHM / FWTM Asymmetric Efficiency 94 % Peak intensity 0.8 cd/lm LEDs/each optic 1 White Light colour Required components:



TRIDONIC

LED RLE G1 49x223mm 4000lm xxx EXC OTD


FWHM / FWTM Asymmetric Efficiency 94 % Peak intensity 0.8 cd/lm LEDs/each optic Light colour White Required components:



TRIDONIC

RLE G1 49x245mm 4000lm xxx EXC OTD

FWHM / FWTM Asymmetric Efficiency 94 % Peak intensity 0.8 cd/lm LEDs/each optic White Light colour Required components:





CREE &

LED J Series 3030
FWHM / FWTM Asymmetric
Efficiency 95 %
Peak intensity 0.8 cd/lm
LEDs/each optic 1
Light colour White


600

CREE \$

Required components:


LED J Series 3030
FWHM / FWTM Asymmetric
Efficiency 86 %
Peak intensity 0.7 cd/lm
LEDs/each optic 1
Light colour White
Required components:

Protective plate, glass



CREE -

LED XHP35 HD
FWHM / FWTM Asymmetric
Efficiency 95 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White
Required components:



CREE \$

LED XP-G2 HE
FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White
Required components:



CREE &

LED XP-G3

FWHM / FWTM Asymmetric

Efficiency 85 %
Peak intensity 0.6 cd/lm

LEDs/each optic 1

Light colour White

Required components:

Protective plate, glass

CREE &

LED XP-G3

FWHM / FWTM Asymmetric

Efficiency 81 %
Peak intensity 0.6 cd/lm


LEDs/each optic 1

Light colour White

Required components:

C17580_STRADA-2X2-SHD-WHT

Protective plate, glass



CREE \$

LED

XP-G3

FWHM / FWTM Asymmetric


Efficiency 84 %
Peak intensity 0.6 cd/lm

LEDs/each optic 1

Light colour White

Required components:

Protective plate, glass



CREE \$


LED XP-L2

FWHM / FWTM Asymmetric Efficiency 85 %

Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White

Required components:

Protective plate, glass







LED LUXEON HL2X FWHM / FWTM Asymmetric


Efficiency 85 %

Peak intensity 0.6 cd/lm LEDs/each optic 1

Light colour White

Required components:

Protective plate, glass




MUMILEDS

LED LUXEON V2
FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.8 cd/lm

LEDs/each optic 1
Light colour White

Required components:




MUMILEDS

LED LUXEON XR-HL2X (L2H2-xxxxxxxMLU010)

FWHM / FWTM Asymmetric
Efficiency 96 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1

LEDs/each optic 1
Light colour White
Required components:




LUMILEDS

LED LUXEON XR-HL2X (L2H2-xxxxxxxMLU010)

FWHM / FWTM Asymmetric
Efficiency 85 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White
Required components:

Protective plate, glass








LED NF2x757G
FWHM / FWTM Asymmetric
Efficiency 85 %
Peak intensity 0.7 cd/lm
LEDs/each optic 1
Light colour White

Required components:


Protective plate, glass



WNICHIA


LED NFSx757G
FWHM / FWTM Asymmetric
Efficiency 85 %
Peak intensity 0.7 cd/lm
LEDs/each optic 1
Light colour White
Required components:

Protective plate, glass




WNICHIA

LED NV4WB35AM
FWHM / FWTM Asymmetric
Efficiency 96 %
Peak intensity 0.7 cd/lm
LEDs/each optic 1
Light colour White
Required components:



WNICHIA

LED NVSW519A
FWHM / FWTM Asymmetric
Efficiency 93 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White
Required components:








LED NVSW519A
FWHM / FWTM Asymmetric
Efficiency 87 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White

Required components:


Protective plate, glass



WNICHIA

LED NVSxE21A
FWHM / FWTM Asymmetric
Efficiency 84 %
Peak intensity 0.8 cd/lm
LEDs/each optic 1
Light colour White
Required components:

Protective plate, glass




OSRAM

Opto Semiconductors

LED OSCONIQ P 3737 (2W version)

FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.9 cd/lm
LEDs/each optic 1
Light colour White

Required components:




OSRAM

LED OSCONIQ P 3737 (3W version)

FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.7 cd/lm
LEDs/each optic 1
Light colour White

Required components:






OSRAM

LED OSCONIQ S 3030 (QSLR31)

FWHM / FWTM Asymmetric Efficiency 96 % Peak intensity 0.7 cd/lm LEDs/each optic Light colour White Required components:




OSRAM

LED OSLON Square CSSRM2/CSSRM3

FWHM / FWTM Asymmetric Efficiency 89 % Peak intensity 0.7 cd/lm LEDs/each optic 1 White Light colour Required components:

C17580_STRADA-2X2-SHD-WHT




OSRAM Opto Semiconductors

LED OSLON Square CSSRM2/CSSRM3

FWHM / FWTM Asymmetric Efficiency 86 % Peak intensity 0.7 cd/lm LEDs/each optic 1 Light colour White Required components:

Protective plate, glass




OSRAM

LED OSLON Square CSSRM2/CSSRM3

FWHM / FWTM Asymmetric 87 % Efficiency Peak intensity 0.7 cd/lm LEDs/each optic White Light colour Required components:

C17677_STRADA-2X2-SHD-BLK





OSRAM


LED OSLON Square CSSRM2/CSSRM3

FWHM / FWTM Asymmetric
Efficiency 81 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White

Required components:

C17580_STRADA-2X2-SHD-WHT

Protective plate, glass



OSRAM


Opto Semiconductors

LED OSLON Square CSSRM2/CSSRM3

FWHM / FWTM Asymmetric
Efficiency 87 %
Peak intensity 0.7 cd/lm
LEDs/each optic 1
Light colour White

Required components:

Protective plate, glass



OSRAM


Opto Semiconductors

LED OSLON Square CSSRM2/CSSRM3

FWHM / FWTM Asymmetric
Efficiency 78 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White
Required components:

C17677_STRADA-2X2-SHD-BLK

Protective plate, glass



OSRAM

LED

OSLON Square PC

FWHM / FWTM Asymmetric

Efficiency 89 %


Peak intensity 0.6 cd/lm

LEDs/each optic 1

Light colour White

Required components:

Protective plate, glass






PHILIPS

LED Fortimo FastFlex LED 2x8 DAX G4

FWHM / FWTM Asymmetric
Efficiency 94 %
LEDs/each optic 1
Light colour White

Required components:



SAMSUNG

LED HILOM RH16 (LH351C)

FWHM / FWTM Asymmetric
Efficiency 87 %
Peak intensity 0.7 cd/lm
LEDs/each optic 1
Light colour White

Required components:

667

Protective plate, glass

SAMSUNG

LED LH351B
FWHM / FWTM Asymmetric
Efficiency 83 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1

Protective plate, glass

Light colour White Required components:

SAMSUNG

LED LH351C
FWHM / FWTM Asymmetric

Efficiency 81 %


Peak intensity 0.6 cd/lm

LEDs/each optic 1

Light colour White Required components:

C17580_STRADA-2X2-SHD-WHT

Protective plate, glass







LED Z5M3

FWHM / FWTM

Asymmetric 86 %

Efficiency Peak intensity


0.6 cd/lm

LEDs/each optic

Light colour White

Required components:

Protective plate, glass



SEOUL SEOUL SEMICONDUCTOR

LED

Z5M4

FWHM / FWTM

Asymmetric

Efficiency Peak intensity 95 %


LEDs/each optic

0.7 cd/lm

Light colour

1 White

Required components:



TRIDONIC

LED

RLE 2x8 4000lm HP EXC2 OTD

FWHM / FWTM

Asymmetric

Efficiency

88 %

Peak intensity

0.7 cd/lm

LEDs/each optic


1

Light colour

White

Required components:

C17677_STRADA-2X2-SHD-BLK



TRIDONIC

Efficiency

RLE 2x8 4000lm HP EXC2 OTD

FWHM / FWTM

Asymmetric

Peak intensity

87 % 0.8 cd/lm

LEDs/each optic

Light colour

White

Required components:

Protective plate, glass

