PRODUCT DATASHEET C13805_STRADA-2X2-T4

STRADA-2X2-T4

IESNA Type IV beam for wider roads and large outdoor area

SPECIFICATION:

Dimensions 50.0 x 50.0 mm 7.7 mm Height Fastening pin, screw yes 🕕 **ROHS** compliant



MATERIALS:

Colour Component **Type** Material **Finish** STRADA-2X2-T4 Multi-lens **PMMA** clear


ORDERING INFORMATION:

Component Qty in box MOQ MPQ Box weight (kg)

C13805_STRADA-2X2-T4 800 160 160 7.7 » Box size: 480 x 280 x 300 mm



PRODUCT DATASHEET C13805_STRADA-2X2-T4




See also our general installation guide: www.ledil.com/installation_guide





LED J Series 5050C 6V E Class


FWHM / FWTM Asymmetric
Efficiency 97 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White
Required components:



CREE -

LED XM-L
FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White

Light colour Will Required components:




CREE +

LED XM-L3
FWHM / FWTM Asymmetric
Efficiency 96 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1

Light colour White Required components:







CREE \$

LED XP-G
FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White

Required components:












LED XP-L HD

FWHM / FWTM Asymmetric Efficiency 94 %

Peak intensity 0.5 cd/lm

LEDs/each optic 1 Light colour White

Required components:



CREE +

LED XP-L HI


FWHM / FWTM Asymmetric

Efficiency 94 %

Peak intensity 0.6 cd/lm

LEDs/each optic 1 Light colour White

Required components:



CREE +

LED

XP-L2


FWHM / FWTM Asymmetric

Efficiency 94 %

Peak intensity 0.5 cd/lm

LEDs/each optic 1 Light colour White

Required components:



CREE \$

LED XT-E


FWHM / FWTM Asymmetric

Efficiency 94 %
Peak intensity 0.5 cd/lm

LEDs/each optic 1

Light colour White

Required components:









LED LUXEON 5050 Round LES

FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White
Required components:



MUMILEDS


LED LUXEON MZ
FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White



MUMILEDS

Required components:


LED LUXEON Q
FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White



MATERIAL PROPERTY OF THE PROP

Required components:


LED LUXEON T
FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White
Required components:








LED LUXEON TX $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric Efficiency 94 % Peak intensity 0.6 cd/lm LEDs/each optic Light colour White



LUMILEDS


Required components:

LED LUXEON V FWHM / FWTM Asymmetric Efficiency 94 % Peak intensity 0.6 cd/lm LEDs/each optic 1 White Light colour Required components:



LED RecLED 122x50mm 1900lm 730 2x4 Opt G1


 $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric Efficiency 97 % Peak intensity 0.6 cd/lm LEDs/each optic Light colour White Required components:




WNICHIA

Required components:

LED NVSW219F FWHM / FWTM Asymmetric Efficiency 94 % Peak intensity 0.6 cd/lm LEDs/each optic White Light colour










Fortimo FastFlex LED 2x8 DA G4


FWHM / FWTM Asymmetric Efficiency Peak intensity 0.6 cd/lm LEDs/each optic Light colour White



Required components:


Fortimo FastFlex LED 2x8 DA G4+ LED

FWHM / FWTM Asymmetric Efficiency 94 % Peak intensity 0.5 cd/lm LEDs/each optic 1 White Light colour Required components:



LED Fortimo FastFlex LED 2x8 DA G5

FWHM / FWTM Asymmetric Efficiency 97 % Peak intensity 0.6 cd/lm LEDs/each optic Light colour White




PHILIPS

Required components:

Fortimo FastFlex LED 2x8 DAX G4

FWHM / FWTM Asymmetric Efficiency 94 % LEDs/each optic White Light colour Required components:






SAMSUNG

LED HILOM RC12 Z (LH181B)

FWHM / FWTM Asymmetric
Efficiency 99 %
Peak intensity 0.8 cd/lm
LEDs/each optic 1
Light colour White



SAMSUNG

Required components:

LED HILOM RH12 Z (LH351C)

FWHM / FWTM Asymmetric


Efficiency 97 %

Peak intensity 0.6 cd/lm

LEDs/each optic 1

Light colour White


Required components:



SAMSUNG

LED HILOM RH16 (LH351C)


FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White
Required components:



SAMSUNG

LED HILOM RM12 Z (LH502C)

FWHM / FWTM Asymmetric
Efficiency 97 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White
Required components:






SAMSUNG

LED HILOM RM16 Z (LH502C)

FWHM / FWTM Asymmetric
Efficiency 98 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White

Required components:



SAMSUNG

LED HILOM RM8 Z (LH502C)

FWHM / FWTM Asymmetric


Efficiency 97 %

Peak intensity 0.5 cd/lm

LEDs/each optic 1

Light colour White


Required components:



SAMSUNG

LED LH351B FWHM / FWTM Asymmetric


Efficiency %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White
Required components:




SGITGC

LED LED-Pa-L15c2W11c2-xxx-C050-01

FWHM / FWTM Asymmetric
Efficiency 98 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White
Required components:










TOSHIBA

Leading Innovation


LED TL1L4
FWHM / FWTM Asymmetric
Efficiency 91 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White
Required components:



TRIDONIC

LED RLE 2x4 2000lm HP EXC2 OTD


FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White
Required components:



TRIDONIC

LED RLE 2x8 4000lm HP EXC2 OTD


FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White
Required components:



TRIDONIC

LED RLE G1 49x121mm 2000lm xxx EXC OTD

FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White
Required components:






TRIDONIC

LED RLE G1 49x133mm 2000lm xxx EXC OTD


FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White
Required components:



TRIDONIC

LED RLE G1 49x223mm 4000lm xxx EXC OTD


FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White
Required components:



TRIDONIC

LED RLE G1 49x245mm 4000lm xxx EXC OTD


FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White
Required components:








LED XD16
FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.5 cd/lm
LEDs/each optic 2
Light colour White
Required components:




Detector Image: Illuminance




CREE &

LED XE-G
FWHM / FWTM Asymmetric
Efficiency 95 %
Peak intensity 0.5 cd/lm
LEDs/each optic 2
Light colour White
Required components:







CREE \$

LED XHP35 HD
FWHM / FWTM Asymmetric
Efficiency 90 %
LEDs/each optic 1
Light colour White
Required components:

CREE -


LED XHP35 HI
FWHM / FWTM Asymmetric
Efficiency 93 %
LEDs/each optic 1
Light colour White
Required components:



CREE +

LED XM-L2 $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric Efficiency 94 % LEDs/each optic Light colour White


Required components:



CREE -

LED XP-G2 HE FWHM / FWTM Asymmetric Efficiency 94 % Peak intensity 0.5 cd/lm LEDs/each optic 1 White Light colour


Required components:



CREE \$

XP-G3 LED FWHM / FWTM Asymmetric Efficiency 79 % Peak intensity 0.4 cd/lm LEDs/each optic 1 Light colour White Required components:

Protective plate, glass




CREE \$

XP-G3 FWHM / FWTM Asymmetric Efficiency 76 % Peak intensity 0.4 cd/lm LEDs/each optic 1 White Light colour Required components:

C17580_STRADA-2X2-SHD-WHT

Protective plate, glass





CREE &

LED FWHM / FWTM

XP-G4 Asymmetric

Efficiency

97 %


Peak intensity

0.6 cd/lm

LEDs/each optic

Light colour White

Required components:



CREE &

LED

XP-G4

FWHM / FWTM

Asymmetric

Efficiency Peak intensity 83 %

LEDs/each optic


0.5 cd/lm 1

Light colour

White

Required components:

Protective plate, glass



CREE \$

LED

XP-L2

FWHM / FWTM

Asymmetric

Efficiency

79 %

Peak intensity


0.4 cd/lm

LEDs/each optic Light colour

1 White

Required components:

Protective plate, glass



LUMILEDS

LED Efficiency LUXEON 3030 2D (Round LES)

FWHM / FWTM

Asymmetric

Peak intensity

94 %


LEDs/each optic

0.6 cd/lm

Light colour

Required components:

White








LED LUXEON 3030 2D (Round LES)

FWHM / FWTM Asymmetric
Efficiency 81 %
Peak intensity 0.4 cd/lm
LEDs/each optic 1
Light colour White
Required components:

Protective plate, glass




MUMILEDS

LED LUXEON 3030 2D (Square LES)

FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White

Required components:




LUMILEDS

LED LUXEON 5050 Round LES

FWHM / FWTM Asymmetric
Efficiency 84 %
Peak intensity 0.4 cd/lm
LEDs/each optic 1
Light colour White

Protective plate, glass




LUMILEDS

Required components:

LED LUXEON 5050 Square LES

FWHM / FWTM Asymmetric
Efficiency 84 %
Peak intensity 0.4 cd/lm
LEDs/each optic 1
Light colour White
Required components:

Protective plate, glass








LED LUXEON 5050 Square LES

FWHM / FWTM Asymmetric
Efficiency 71 %
Peak intensity 0.4 cd/lm
LEDs/each optic 1
Light colour White
Required components:

C17677_STRADA-2X2-SHD-BLK

Protective plate, glass




LUMILEDS

LED LUXEON 5050 Square LES

FWHM / FWTM Asymmetric
Efficiency 84 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White
Required components:

C17580_STRADA-2X2-SHD-WHT




LUMILEDS

LED LUXEON 5050 Square LES

FWHM / FWTM Asymmetric
Efficiency 81 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White
Required components:


C17677_STRADA-2X2-SHD-BLK



LUMILEDS

LED LUXEON 5050 Square LES

FWHM / FWTM Asymmetric
Efficiency 96 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White
Required components:








LED LUXEON 5050 Square LES

FWHM / FWTM Asymmetric
Efficiency 78 %
Peak intensity 0.4 cd/lm
LEDs/each optic 1
Light colour White
Required components:

C17580_STRADA-2X2-SHD-WHT


Protective plate, glass



LUMILEDS

LED LUXEON V2
FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White

Required components:




MILEDS

LED LUXEON XR-HL2X (L2H2-xxxxxxxMLU010)

FWHM / FWTM Asymmetric
Efficiency 97 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White

Required components:




MILEDS

LED LUXEON XR-HL2X (L2H2-xxxxxxxMLU010)

FWHM / FWTM Asymmetric
Efficiency 81 %
Peak intensity 0.4 cd/lm
LEDs/each optic 1
Light colour White
Required components:

Protective plate, glass








Asymmetric 84 % 0.5 cd/lm

Peak intensity LEDs/each optic Light colour White

Required components:

Protective plate, glass




WNICHIA

LED NV4WB35AM FWHM / FWTM Asymmetric Efficiency 96 % Peak intensity 0.5 cd/lm LEDs/each optic 1 White

Required components:

Light colour




WNICHIA

LED NVSW219F $\mathsf{FWHM}\,/\,\mathsf{FWTM}$ Asymmetric Efficiency 81 % Peak intensity 0.4 cd/lm LEDs/each optic 1 Light colour White

Required components:


Protective plate, glass



WNICHIA

LED NVSW519A FWHM / FWTM Asymmetric Efficiency 82 % Peak intensity 0.4 cd/lm LEDs/each optic White Light colour Required components:


Protective plate, glass







LED NVSW519A
FWHM / FWTM Asymmetric
Efficiency 93 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White



WNICHIA

Required components:

LED NVSxx19B/NVSxx19C

FWHM / FWTM Asymmetric


Efficiency 94 %

Peak intensity 0.6 cd/lm

LEDs/each optic 1

Light colour White


Required components:



OSRAM

LED PrevaLED Brick HP 2x8

FWHM / FWTM Asymmetric
Efficiency 92 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White
Required components:



OSRAM

LED Duris S5 (2 chip) FWHM / FWTM Asymmetric


Efficiency 94 %

Peak intensity 0.5 cd/lm

LEDs/each optic 1

Light colour White

Required components:





OSRAM


LED Duris S8
FWHM / FWTM Asymmetric

Efficiency 86 %
Peak intensity 0.4 cd/lm

LEDs/each optic 1
Light colour White

Protective plate, glass

Required components:




OSRAM

Opto Semiconductor

LED OSCONIQ P 3737 (2W version)

FWHM / FWTM Asymmetric
Efficiency 82 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White

Protective plate, glass



OSRAM


Required components:

Opto Semiconductors

LED OSCONIQ P 3737 (2W version)

FWHM / FWTM Asymmetric
Efficiency 93 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White

Required components:



OSRAM

LED OSCONIQ P 3737 (3W version)

FWHM / FWTM Asymmetric
Efficiency 94 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White
Required components:

Asymmetric
94 %
0.5 cd/lm
1
White




OSRAM

LED OSLON Square CSSRM2/CSSRM3

FWHM / FWTM Asymmetric Efficiency 86 % Peak intensity 0.6 cd/lm LEDs/each optic Light colour White

Required components:

C17580_STRADA-2X2-SHD-WHT




OSRAM

LED OSLON Square CSSRM2/CSSRM3

FWHM / FWTM Asymmetric Efficiency 92 % Peak intensity 0.5 cd/lm LEDs/each optic 1 White Light colour

Required components:




OSRAM Opto Semiconductors

LED OSLON Square CSSRM2/CSSRM3

FWHM / FWTM Asymmetric Efficiency 81 % Peak intensity 0.4 cd/lm LEDs/each optic 1 Light colour White Required components:

Protective plate, glass




OSRAM

LED

OSLON Square CSSRM2/CSSRM3

FWHM / FWTM Asymmetric 94 % Efficiency Peak intensity 0.5 cd/lm LEDs/each optic White Light colour

Required components:






OSRAM

LED OSLON Square CSSRM2/CSSRM3

FWHM / FWTM Asymmetric
Efficiency 85 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White
Required components:

C17580_STRADA-2X2-SHD-WHT



OSRAM


Opto Semiconductors

LED OSLON Square CSSRM2/CSSRM3

FWHM / FWTM Asymmetric
Efficiency 82 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White

Protective plate, glass

Required components:




OSRAM

Opto Semiconductors

LED OSLON Square CSSRM2/CSSRM3

FWHM / FWTM Asymmetric
Efficiency 80 %
Peak intensity 0.6 cd/lm
LEDs/each optic 1
Light colour White
Required components:

C17677_STRADA-2X2-SHD-BLK




PHILIPS

LED Fortimo FastFlex LED 2x8 DA G4+

FWHM / FWTM Asymmetric
Efficiency 72 %
Peak intensity 0.4 cd/lm
LEDs/each optic 1
Light colour White
Required components:

C17580_STRADA-2X2-SHD-WHT






PHILIPS

LED Fortimo FastFlex LED 2x8 DA G4+

FWHM / FWTM Asymmetric
Efficiency 65 %
Peak intensity 0.4 cd/lm
LEDs/each optic 1
Light colour White

Required components:

C17677_STRADA-2X2-SHD-BLK



PHILIPS

LED Fortimo FastFlex LED 2x8 DA G4+

FWHM / FWTM Asymmetric

Efficiency 76 %


Peak intensity 0.5 cd/lm

LEDs/each optic 1

Light colour White

Required components:

C17677_STRADA-2X2-SHD-BLK



PHILIPS


LED Fortimo FastFlex LED 2x8 DA G4+

FWHM / FWTM Asymmetric
Efficiency 68 %
Peak intensity 0.4 cd/lm
LEDs/each optic 1
Light colour White

Required components:

C17677_STRADA-2X2-SHD-BLK

Protective plate, glass




PHILIPS

LED Fortimo FastFlex LED 2x8 DA G5

FWHM / FWTM Asymmetric
Efficiency 83 %
Peak intensity 0.4 cd/lm
LEDs/each optic 1
Light colour White
Required components:

Protective plate, glass






PHILIPS

Fortimo FastFlex LED 2x8 DA HE

FWHM / FWTM Asymmetric Efficiency 97 % Peak intensity 0.5 cd/lm LEDs/each optic Light colour White


Required components:



LED Fortimo FastFlex LED 2x8 DA HE

FWHM / FWTM Asymmetric Efficiency 82 % Peak intensity 0.4 cd/lm LEDs/each optic 1 White Light colour Required components:

Protective plate, glass




SAMSUNG

LED LH351C FWHM / FWTM Asymmetric Efficiency 96 % Peak intensity 0.5 cd/lm LEDs/each optic 1

White

Light colour Required components:




SAMSUNG

FWHM / FWTM Asymmetric Efficiency 83 % Peak intensity 0.4 cd/lm LEDs/each optic White Light colour

Required components:

Protective plate, glass






SAMSUNG

LED LH351D
FWHM / FWTM Asymmetric
Efficiency 95 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White


Required components:



SAMSUNG

LED LH502C
FWHM / FWTM Asymmetric
Efficiency 97 %
Peak intensity 0.5 cd/lm
LEDs/each optic 1
Light colour White


Required components:



SAMSUNG

LED LH502C
FWHM / FWTM Asymmetric
Efficiency 82 %
Peak intensity 0.4 cd/lm
LEDs/each optic 1
Light colour White

Protective plate, glass




SAMSUNG

Required components:

LED LH502D
FWHM / FWTM Asymmetric
Efficiency 82 %
Peak intensity 0.4 cd/lm
LEDs/each optic 1
Light colour White

Protective plate, glass

Required components:





SAMSUNG

LED LH502D


FWHM / FWTM Asymmetric

Efficiency 97 %

Peak intensity 0.5 cd/lm LEDs/each optic 1

Light colour White

Required components:



SEOUL SEMICONDUCTOR

LED MJT 5050


FWHM / FWTM Asymmetric

Efficiency 94 %

Peak intensity 0.5 cd/lm

LEDs/each optic 1
Light colour White

Required components:



SEOUL SEMICONDUCTOR

LED SEOUL DC 5050 6V


FWHM / FWTM Asymmetric

Efficiency 94 %

Peak intensity 0.5 cd/lm

LEDs/each optic 1
Light colour White

Required components:



SEOUL SEMICONDUCTOR

LED Z5M3

FWHM / FWTM Asymmetric

Efficiency 81 %
Peak intensity 0.4 cd/lm

LEDs/each optic 1

Light colour White

Required components:

Protective plate, glass

