

ILONA-RS

~10° spot beam

SPECIFICATION:

Ø 49.8 mm **Dimensions** Height 29.3 mm socket Fastening **ROHS** compliant yes 🕕



Box weight (kg)

9.6

MATERIALS:

Component Type Material Colour **Finish ILONA-RS** Single lens **PMMA** clear


ORDERING INFORMATION:

Component Qty in box MOQ MPQ

264 C16686_ILONA-RS 99 33 » Box size: 480 x 280 x 300 mm




PRODUCT C16686_ILONA-RS



See also our general installation guide: www.ledil.com/installation_guide










LED Vesta TW 6mm DP
FWHM / FWTM 14.0° / 25.0°
Efficiency 91 %
Peak intensity 12.2 cd/lm
LEDs/each optic 1
Light colour White
Required components:

C16142_HEKLA-SOCKET-K Bender Wirth: 504 Typ L8




CITIZEN

LED CLU700/701/702/703

FWHM / FWTM 12.0° / 22.0°
Efficiency 96 %
Peak intensity 15.3 cd/lm

LEDs/each optic 1 Light colour White Required components:


F15255_HEKLA-SOCKET-C



CITIZEN

LED CLU7A2/7A3
FWHM / FWTM 9.0° / 17.0°
Efficiency 94 %
Peak intensity 26 cd/lm
LEDs/each optic 1
Light colour White

F15255_HEKLA-SOCKET-C




CITIZEN


Required components:

LED CLU7B2
FWHM / FWTM 8.0° / 16.0°
Efficiency 94 %
Peak intensity 32.2 cd/lm


LEDs/each optic 1
Light colour White
Required components:
F15255_HEKLA-SOCKET-C
























XICATO

LED XOB 9.8 mm
FWHM / FWTM 19.0° / 32.0°
Efficiency 94 %
Peak intensity 7.2 cd/lm
LEDs/each optic 1
Light colour White
Required components:
F15255_HEKLA-SOCKET-C








LED V13 Gen 8 FWHM / FWTM 30.0° / 50.0°

Efficiency 93 %
Peak intensity 3.1 cd/lm
LEDs/each optic 1

Light colour White

Required components: F15859_HEKLA-SOCKET-I




bridgelux.

LED V4 HD Gen 7
FWHM / FWTM 10.0° / 20.0°
Efficiency 95 %

Peak intensity 24.4 cd/lm LEDs/each optic 1 Light colour White

Required components:

F15253_HEKLA-SOCKET-A



bridgelux

 LED
 V9 HD Gen7


 FWHM / FWTM
 18.0° / 30.0°

 Efficiency
 94 %

Peak intensity 8.5 cd/lm
LEDs/each optic 1
Light colour White

Required components:

F15859_HEKLA-SOCKET-I



bridgelux.


 LED
 Vero SE 10

 FWHM / FWTM
 16.0° / 34.0°

 Efficiency
 94 %

 Peak intensity
 7.6 cd/lm

LEDs/each optic 1
Light colour White
Required components:






CITIZEN

LED CLL02x/CLU02x (LES10)

FWHM / FWTM 18.0° / 33.0°
Efficiency 92 %
Peak intensity 7.8 cd/lm
LEDs/each optic 1
Light colour White

Required components:

F15255_HEKLA-SOCKET-C




CITIZEN

LED CLU710/711
FWHM / FWTM 17.0° / 30.0°
Efficiency 92 %
Peak intensity 9.3 cd/lm
LEDs/each optic 1
Light colour White

Required components:

F15859_HEKLA-SOCKET-I



CITIZEN

 LED
 CLU712/713


 FWHM / FWTM
 18.0° / 31.0°

 Efficiency
 94 %

 Peak intensity
 8.2 cd/lm

LEDs/each optic 1
Light colour White


Required components: F17438_HEKLA-G2-I



CREE &

LED CHA0304
FWHM / FWTM 9.0° / 18.0°
Efficiency 95 %
Peak intensity 27.4 cd/lm
LEDs/each optic 1
Light colour White

Required components: F17435_HEKLA-G2-C





CREE &

LED CHA0410


FWHM / FWTM 10.0° / 20.0° Efficiency 95 %

Peak intensity 21.8 cd/lm

LEDs/each optic 1

Light colour White

Required components: F17435_HEKLA-G2-C



CREE \$

LED CMA1303


FWHM / FWTM 10.0° / 20.0°

Efficiency 95 %
Peak intensity 22.8 cd/lm

LEDs/each optic 1

Light colour White

Required components: F17439_HEKLA-G2-J



CREE -

LED CMA1306


FWHM / FWTM 12.0° / 24.0° Efficiency 95 %

Efficiency 95 %
Peak intensity 15.5 cd/lm

LEDs/each optic 1

Light colour White

Required components: F15956_HEKLA-SOCKET-J



CREE \$


LED CXA/B 13xx

FWHM / FWTM 13.0° / 24.0° Efficiency 93 %

Peak intensity 15 cd/lm
LEDs/each optic 1
Light colour White

Required components:

F15956_HEKLA-SOCKET-J





CREE &

LED CXA/B 15xx


FWHM / FWTM 20.0° / 32.0° Efficiency 92 %

Efficiency 92 %
Peak intensity 7.4 cd/lm

LEDs/each optic 1

Light colour White

Required components: F17436_HEKLA-G2-D



CREE \$

LED CXA/B 15xx

FWHM / FWTM 19.0° / 32.0°


Efficiency 93 %

Peak intensity 7.6 cd/lm

LEDs/each optic 1
Light colour White

Required components:

F15256_HEKLA-SOCKET-D



CREE +

LED CXA/B 1816 & CXA/B 1820 & CXA 1850


FWHM / FWTM 23.0° / 40.0°

Efficiency 93 %

Peak intensity 4.4 cd/lm

LEDs/each optic 1
Light colour White

Required components: F15254_HEKLA-SOCKET-B



DESCRIPTION LUMILEDS

LED LUXEON CoB 1202/1203

 $FWHM / FWTM \qquad \qquad 18.0^{\circ} / 33.0^{\circ}$


Efficiency 93 %
Peak intensity 7.4 cd/lm

LEDs/each optic 1

Light colour White

Required components:

F17437_HEKLA-G2-H







LED LUXEON CoB 1202s

 FWHM / FWTM
 12.0° / 24.0°


 Efficiency
 95 %

 Peak intensity
 15.6 cd/lm

LEDs/each optic 1
Light colour White

Required components:

F15858_HEKLA-SOCKET-H




LUMILEDS

LED LUXEON CoB 1204/1205

FWHM / FWTM 26.0° / 44.0°
Efficiency 94 %
Peak intensity 3.9 cd/lm
LEDs/each optic 1
Light colour White

Required components:




LUMILEDS

LED LUXEON CoB 1204HD

FWHM / FWTM 20.0° / 32.0°
Efficiency 94 %
Peak intensity 7.7 cd/lm
LEDs/each optic 1
Light colour White

Required components: F17437_HEKLA-G2-H




DESCRIPTION LUMILEDS

LED LUXEON CoB 1205HD

FWHM / FWTM 24.0° / 39.0°
Efficiency 94 %
Peak intensity 5 cd/lm
LEDs/each optic 1
Light colour White

Required components: F17437_HEKLA-G2-H








LED LUXEON CoB 1208

FWHM / FWTM 27.0° / 50.0°
Efficiency 91 %
Peak intensity 3.2 cd/lm
LEDs/each optic 1
Light colour White

Required components:

C16142_HEKLA-SOCKET-K



ELUMINUS


LED CxM-6 (13.5x13.5)

FWHM / FWTM 14.0° / 25.0°
Efficiency 94 %
Peak intensity 13.4 cd/lm
LEDs/each ontic 1

LEDs/each optic 1
Light colour White

Required components:

F15255_HEKLA-SOCKET-C



WNICHIA

LED COB S-Type (LES 6)

 FWHM / FWTM
 12.0° / 24.0°


 Efficiency
 93 %

 Peak intensity
 15.4 cd/lm

LEDs/each optic 1
Light colour White

Required components:

F15848_HEKLA-SOCKET-G



WNICHIA

LED COB S-Type (LES 6)

FWHM / FWTM 12.0° / 24.0°


Efficiency 93 %

Peak intensity 15.6 cd/lm

LEDs/each optic 1

Light colour White Required components:

F15848_HEKLA-SOCKET-G





WNICHIA


LED COB S-Type (LES 7)

FWHM / FWTM 16.0° / 26.0° Efficiency 95 % Peak intensity 11.6 cd/lm

LEDs/each optic 1
Light colour White

Required components:

F15848_HEKLA-SOCKET-G




WNICHIA

LED NFSWE11A FWHM / FWTM 18.0° / 30.0°

Efficiency 88 %
Peak intensity 8.4 cd/lm
LEDs/each optic 30
Light colour White

Required components:

C16142_HEKLA-SOCKET-K




PHILIPS

LED Fortimo SLM L13 CoB

FWHM / FWTM 24.0° / 44.0°
Efficiency 93 %
Peak intensity 4.2 cd/lm
LEDs/each optic 1
Light colour White

Light colour
Required components:

Bender Wirth: 632a Hekla XL



PHILIPS

Required components:

LED Fortimo SLM L15 CoB

FWHM / FWTM 28.0° / 52.0°


Efficiency 92 %

Peak intensity 3 cd/lm

LEDs/each optic 1

Light colour White

Bender Wirth: 632a Hekla XL






PHILIPS

LED Fortimo SLM L15 CoB

FWHM / FWTM 26.0° / 50.0°
Efficiency 93 %
Peak intensity 3.3 cd/lm
LEDs/each optic 1
Light colour White

Required components:

Bender Wirth: 632a Hekla XL



SAMSUNG

 LED
 LC010C

 FWHM / FWTM
 14.0° / 24.0°


 Efficiency
 94 %

 Peak intensity
 14.4 cd/lm

LEDs/each optic 1
Light colour White

Required components:

F15848_HEKLA-SOCKET-G



SAMSUNG

 LED
 LC020C


 FWHM / FWTM
 14.0° / 24.0°

 Efficiency
 94 %

 Peak intensity
 13.5 cd/lm

LEDs/each optic 1
Light colour White

Required components: F17438_HEKLA-G2-I



XICATO

LED XTM - 9mm LES
FWHM / FWTM 18.0° / 32.0°
Efficiency 94 %
Peak intensity 8.3 cd/lm
LEDs/each optic 1
Light colour White

Required components:

C15743_XTM-ADAPTER-50-B

