# PRODUCT DATASHEET F17169\_LINNEA-GC2-ZT25

### LINNEA-GC2-ZT25

#### Asymmetric beam for wall-washing

#### **SPECIFICATION:**

283.6 x 43.0 mm **Dimensions** Height 15.2 mm Fastening clips **ROHS** compliant yes 🕕



#### **MATERIALS:**

Type Material Colour **Finish** Component LINNEA-GC2-ZT25 Linear lens **PMMA** clear


#### **ORDERING INFORMATION:**

Component Qty in box MOQ MPQ Box weight (kg)

F17169\_LINNEA-GC2-ZT25 120 32 8 8.6 » Box size: 398 x 298 x 265 mm



# PRODUCT DATASHEET F17169\_LINNEA-GC2-ZT25



See also our general installation guide: www.ledil.com/installation\_guide

2/9




# **OPTICAL RESULTS (MEASURED):**

# **TRIDONIC**

LED LLE 24x280mm 1250lm HV HO ADV1

FWHM / FWTM Asymmetric
Efficiency 86 %
Peak intensity 1.1 cd/lm
LEDs/each optic 1
Light colour White
Required components:








LED Bridgelux SMD 2835

FWHM / FWTM Asymmetric
Efficiency 85 %
Peak intensity 1.1 cd/lm
LEDs/each optic 1
Light colour White


Required components:



# CREE &

LED J Series 2835
FWHM / FWTM Asymmetric
Efficiency 88 %
Peak intensity 1.1 cd/lm
LEDs/each optic 1
Light colour White


Required components:



# CREE -

LED J Series 3030
FWHM / FWTM Asymmetric
Efficiency 88 %
Peak intensity 1.1 cd/lm
LEDs/each optic 1
Light colour White

Required components:



# **DESCRIPTION** LUMILEDS

LED LUXEON 2835 Line

FWHM / FWTM Asymmetric


Efficiency 88 %

Peak intensity 1.2 cd/lm

LEDs/each optic 1

Light colour White

Required components:








LED LUXEON 3030 HE Plus

FWHM / FWTM Asymmetric Efficiency 88 % Peak intensity 1.1 cd/lm LEDs/each optic Light colour White

Required components:




### LUMILEDS

LED LUXEON 3535L HE PLUS

FWHM / FWTM Asymmetric Efficiency 88 % Peak intensity 1.1 cd/lm LEDs/each optic 1 White Light colour


Required components:



#### **WNICHIA**

LED NF2W585AR-P8 FWHM / FWTM Asymmetric Efficiency 89 % Peak intensity 1.1 cd/lm LEDs/each optic 1 White

Light colour Required components:




### **WNICHIA**

LED NF2W757G-MT (Tunable White)

FWHM / FWTM Asymmetric Efficiency 89 % Peak intensity 1.1 cd/lm LEDs/each optic

Tunable White Light colour


Required components:








LED NFSW757H FWHM / FWTM Asymmetric Efficiency 88 % Peak intensity 1.1 cd/lm LEDs/each optic Light colour White Required components:



### **WNICHIA**


LED NFSx757G FWHM / FWTM Asymmetric Efficiency 88 % Peak intensity 1.1 cd/lm LEDs/each optic 1 White Light colour Required components:



# OSRAM Opto Semiconductor

LED

Duris E 2835 FWHM / FWTM Asymmetric Efficiency 88 % Peak intensity 1.1 cd/lm LEDs/each optic 1 Light colour White Required components:




#### **OSRAM**

Light colour

LED Duris S5 (2 chip) FWHM / FWTM Asymmetric 88 % Efficiency Peak intensity 1.1 cd/lm LEDs/each optic 1

White

Required components:






#### **OSRAM**

LED OSCONIQ C 2424 FWHM / FWTM Asymmetric Efficiency 89 % Peak intensity 1.2 cd/lm

LEDs/each optic Light colour White


Required components:



#### **OSRAM**

LED SYNIOS S2222 FWHM / FWTM Asymmetric Efficiency 88 % Peak intensity 1.2 cd/lm LEDs/each optic 1 White Light colour


Required components:



# **SAMSUNG**

LED LM28xB Series FWHM / FWTM Asymmetric Efficiency 85 % Peak intensity 1.1 cd/lm 1


LEDs/each optic Light colour White Required components:



# **SAMSUNG**

LM301D FWHM / FWTM Asymmetric Efficiency 88 % Peak intensity 1.1 cd/lm

LEDs/each optic 1 White Light colour Required components:





# **SAMSUNG**

LED LM301Z Plus
FWHM / FWTM Asymmetric
Efficiency 88 %
Peak intensity 1.1 cd/lm
LEDs/each optic 1
Light colour White
Required components:

