

PRODUCT DATASHEET C18335_BRIANNA-14X1-W

BRIANNA-14X1-W

~60° wide beam. Variant with 14X1 lens.

SPECIFICATION:

Dimensions	560.0 x 36.0 mm
Height	13.4 mm
Fastening	snaps, clips
ROHS compliant	yes 🛈



MATERIALS:

Component BRIANNA-14X1-W **Type** Linear lens


Material	Colour	Finish
PMMA	clear	

ORDERING INFORMATION:

Component C18335_BRIANNA-14X1-W » Box size: 595 x 260 x 205 mm

Qty in box	MOQ	MPQ	Box weight (kg)
40	80	40	5.5

PRODUCT DATASHEET C18335_BRIANNA-14X1-W



R

See also our general installation guide: www.ledil.com/installation_guide



OPTICAL RESULTS (MEASURED):

TRIDON	lic	50° 50°
LED	LLE 24x280mm 750lm 8x0 LVD ADV1	25*
FWHM / FWTM	59.0° / 94.0°	200
Efficiency	86 %	60°
Peak intensity	0.8 cd/lm	
LEDs/each optic	4	460
Light colour	White	er or
Required compone	nts:	30° 50° 50° 50°
TRIDOM	lic	90 ⁴ 95 ³
LED	LLE 24x280mm 750lm 8x0 LVD ADV1	77
FWHM / FWTM	62.0° / 92.0°	77
Efficiency	78 %	60°
Peak intensity	0.8 cd/lm	
LEDs/each optic	4	460
Light colour	White	er or
Required compone	nts:	
C18685_BRIAN	NA-14X1-SHD-MATT	34° 25° 6° 25° 2°