

#### **DAISY-MINI-3X1-W**

~55° wide beam

#### **TECHNICAL SPECIFICATIONS:**

Dimensions x mm
Height 0 mm
ROHS compliant yes 1



### **MATERIAL SPECIFICATIONS:**

Component	Туре	Material	Colour	Finish
C18504_DAISY-MINI-3X1-W	Linear lens	PMMA	clear	
C18509_DAISY-MINI-3X1-SHD-MATT	Accessory	PC	black	matt
C18508 DAISY-MINI-3X1-SHD	Shade	PC	black	gloss

#### **ORDERING INFORMATION:**

#### **Quantities for one set:**

Linear lens 1
Shade 1




# PRODUCT DATASHEET DAISY-MINI-3X1-W

Component		Qty in box	MOQ	MPQ	Box weight (kg)
C18504_DAISY-MINI-3X1-W » Box size: 480 x 280 x 300 mm	Linear lens	1890	210	70	8.0
C18508_DAISY-MINI-3X1-SHD » Box size: 476 x 273 x 226 mm	Shade	945	210	5	4.5
C18509_DAISY-MINI-3X1-SHD-MATT  » Box size: 476 x 273 x 226 mm	Accessory	945	210	5	4.5



# PRODUCT DATASHEET DAISY-MINI-3X1-W



See also our general installation guide: www.ledil.com/installation\_guide

Published: 15/11/2022



#### PHOTOMETRIC DATA (SIMULATED):

# **SAMSUNG**

LM28xB Series

FWHM / FWTM 52.0° / 68.0° 84 %


Efficiency Peak intensity 1.3 cd/lm

LEDs/each optic

Light colour White

Required components:

C18509\_DAISY-MINI-3X1-SHD-MATT



### **SAMSUNG**

LED LM28xB Series

FWHM / FWTM 58.0° / 82.0°


Efficiency 82 %

Peak intensity 1 cd/lm

LEDs/each optic 2 White Light colour

Required components:

C18509\_DAISY-MINI-3X1-SHD-MATT



# **SAMSUNG**

LM28xB Series


FWHM / FWTM 51.0° / 68.0°

Efficiency 84 %

Peak intensity 1.3 cd/lm 1

LEDs/each optic Light colour White

Required components: C18508\_DAISY-MINI-3X1-SHD



# **SAMSUNG**

LM28xB Series

FWHM / FWTM 58.0° / 82.0°


Efficiency 82 %

Peak intensity 1 cd/lm LEDs/each optic 2

White Light colour

Required components:

C18508\_DAISY-MINI-3X1-SHD



Published: 15/11/2022