

EMILY-M2

~30° medium beam. 14.88 mm high lens.

TECHNICAL SPECIFICATIONS:

Dimensions Ø 26.0 mm
Height 14.9 mm
Fastening tape, pin
ROHS compliant yes ①



MATERIAL SPECIFICATIONS:

Component Type Material Colour Finish

EMILY-M2 Single lens PMMA clear SPUTNIK-TAPE Tape Acrylic foam black


ORDERING INFORMATION:

Component Qty in box MOQ MPQ Box weight (kg)

CA12070_EMILY-M2 Single lens 1690 260 130 10.5

» Box size: 480 x 280 x 300 mm






See also our general installation guide: www.ledil.com/installation_guide




PHOTOMETRIC DATA (MEASURED):





PHOTOMETRIC DATA (MEASURED):





PHOTOMETRIC DATA (SIMULATED):




LED XM-L HVW
FWHM / FWTM 30.0°
Efficiency %
LEDs/each optic 1
Light colour White

CREE & LED


Required components:

LED XP-G2 HE
FWHM / FWTM 32.0° / 52.0°
Efficiency 93 %
Peak intensity 3.1 cd/lm
LEDs/each optic 1
Light colour White
Required components:




MUMILEDS

LED LUXEON MZ
FWHM / FWTM 29.0° / 52.0°
Efficiency 93 %
Peak intensity 3.2 cd/lm
LEDs/each optic 1
Light colour White
Required components:



WNICHIA

LED NCSxE17A
FWHM / FWTM 31.0° / 48.0°
Efficiency 92 %
Peak intensity 3.2 cd/lm
LEDs/each optic 1
Light colour White
Required components:





PHOTOMETRIC DATA (SIMULATED):

