

EVA


Ø35 mm TIR-lenses compatible with up to 7070 size LED packages

Single lens to be used as TIR only (Ø35 mm) or assembled in holder (Ø37.7 mm). Low profile optical design helps integrate the lens into most applications.




PRODUCTS:

C12828_EVA-O




Dimensions: 35.0 mm x 35.0 mm
Height: 16.40 mm
~40° x 15° oval beam

C10684_EVA-D



Dimensions: 35.0 mm x 35.0 mm
Height: 16.40 mm
~16° diffused spot beam


C16255_EVA-SS



Dimensions: 35.0 mm x 35.0 mm
Height: 16.40 mm
~14° smooth spot beam


PRODUCTS:

C10909_EVA-WW




Dimensions: 35.0 mm x 35.0 mm
Height: 16.40 mm
~55° wide beam

C10685_EVA-M




Dimensions: 35.0 mm x 35.0 mm
Height: 16.40 mm
~25° medium beam

C12041_EVA-S




Dimensions: 35.0 mm x 35.0 mm
Height: 16.40 mm
~13° spot beam

C10686_EVA-W




Dimensions: 35.0 mm x 35.0 mm
Height: 16.40 mm
~40° wide beam

CA12804_EVA-W



Dimensions: 37.7 mm x 37.7 mm
Height: 17.00 mm
~40° wide beam optimized for
LUXEON M and MX. Assembly with
holder and installation tape.


CA14402_EVA-M



Dimensions: 37.7 mm x 37.7 mm
Height: 17.20 mm
~25° medium beam. Assembly with
holder including location pins and
installation tape.

PRODUCTS:


CA12802_EVA-D



Dimensions: 37.7 mm x 37.7 mm
Height: 17.20 mm

~16° diffused spot beam optimized for LUXEON M and MX. Assembly with holder and installation tape.


CA14309_EVA-W



Dimensions: 37.7 mm x 37.7 mm
Height: 17.20 mm

~40° wide beam. Assembly with holder including location pins and installation tape.


CA12858_EVA-O



Dimensions: 37.7 mm x 37.7 mm
Height: 17.20 mm

~40° x 15° oval beam optimized for LUXEON M and MX. Assembly with holder and installation tape.


CA16256_EVA-SS



Dimensions: 37.7 mm x 37.7 mm
Height: 17.20 mm

~15° smooth spot beam. Assembly with holder and installation tape.


CA12805_EVA-WW



Dimensions: 37.7 mm x 37.7 mm
Height: 17.00 mm

~55° wide beam optimized for LUXEON M and MX. Assembly with holder and installation tape.

CA14403_EVA-O




Dimensions: 37.7 mm x 37.7 mm
Height: 17.20 mm

~40° x 15° oval beam. Assembly with holder including location pins and installation tape.

PRODUCTS:

CA12803_EVA-M




Dimensions: 37.7 mm x 37.7 mm

Height: 17.00 mm

~25° medium beam optimized for LUXEON M and MX. Assembly with holder and installation tape.

CA14310_EVA-WW




Dimensions: 37.7 mm x 37.7 mm

Height: 17.20 mm

~55° wider beam. Assembly with holder including location pins and installation tape.

CA14308_EVA-D



Dimensions: 37.7 mm x 37.7 mm

Height: 17.20 mm

~16° diffused spot beam. Assembly with holder including location pins and installation tape.