

### RES-SS

~15° smooth spot beam optimized for LUXEON Rebel. Assembly with white holder.

#### TECHNICAL SPECIFICATIONS:

Dimensions	21.6 x 21.6 mm
Height	12.9 mm
Fastening	tape
ROHS compliant	yes ⓘ



#### MATERIAL SPECIFICATIONS:

Component	Type	Material	Colour	Finish
F10332_ROSE-B-B-SS	Single lens	PC	clear	
C10358_ROSE-HLD-RE-WHT	Holder	PC	white	
C10278_ROSE-TAPE	Tape	Acrylic foam	black	

#### ORDERING INFORMATION:

##### Quantities for one set:

Single lens	1
Holder	1
Tape	1


Component		Qty in box	MOQ	MPQ	Box weight (kg)
F10332_ROSE-B-B-SS	Single lens	1980	180	180	8.0
» Box size: 480 x 280 x 300 mm					
C10358_ROSE-HLD-RE-WHT	Holder	4000		2000	7.3
» Box size: 480 x 280 x 300 mm					
C10278_ROSE-TAPE	Tape	10000			
» Box size:					



### PHOTOMETRIC DATA (MEASURED):

#### LUMILEDS

LED LUXEON Rebel  
FWHM / FWTM 13.0° / 27.0°  
Efficiency 87 %  
Peak intensity 6.2 cd/lm  
LEDs/each optic 1  
Light colour White  
Required components:



#### LUMILEDS

LED LUXEON Rebel ES  
FWHM / FWTM 14.0° / 28.0°  
Efficiency 86 %  
Peak intensity 10 cd/lm  
LEDs/each optic 1  
Light colour White  
Required components:

