

# PRODUCT DATASHEET F16603\_LINNEA-GC-O

## LINNEA-GC-O

~30°+ 60° oval beam

#### **SPECIFICATION:**

| Dimensions     | 285.0 x 40.0 mm |
|----------------|-----------------|
| Height         | 12.8 mm         |
| Fastening      | clips           |
| ROHS compliant | yes 🛈           |



#### **MATERIALS**:

Component LINNEA-GC-O

### **Type** Linear lens

| Material | Colour | Finish |
|----------|--------|--------|
| PMMA     | clear  |        |


### **ORDERING INFORMATION:**

| Component                      |  |
|--------------------------------|--|
| F16603_LINNEA-GC-O             |  |
| » Box size: 398 x 298 x 265 mm |  |

| Qty in box | MOQ | MPQ | Box weight (kg) |
|------------|-----|-----|-----------------|
| 135        | 36  | 9   | 8.6             |

## PRODUCT DATASHEET F16603\_LINNEA-GC-O





See also our general installation guide: www.ledil.com/installation\_guide



### **OPTICAL RESULTS (MEASURED):**

# SAMSUNG

| L | E | D |  |
|---|---|---|--|
|   |   |   |  |

FWHM / FWTM 73 Efficiency 91 Peak intensity 0.4 LEDs/each optic 1 Light colour W Required components:

LM561B Plus 73.0 + 43.0° / 122.0 + 108.0° 91 % 0.8 cd/lm 1 White



