

Product availability: Non-Stock - Not normally stocked in distribution facility



Main

Range	TeSys
Device short name	LA1LD
Product or component type	Interface module
Range compatibility	TeSys Integral contactor breaker

Complementary

Output type	Solid state
Mounting location	On top of the integral unit
[Uc] control circuit voltage	5...24 V DC
Control circuit voltage limits	0.85...1.1 Uc DC
Connections - terminals	Screw clamp terminal 1 cable 1 mm ² Screw clamp terminal 2 cable 2.5 mm ²
System Voltage	24...240 V AC 50/60 Hz
Product weight	0.24 lb(US) (0.11 kg)

Environment

[Ith] conventional free air thermal current	63 A
Protection type	Against reverse polarity Overvoltage protection
IP degree of protection	IP20 B conforming to IEC 60529
Ambient air temperature for operation	-13...122 °F (-25...50 °C)
Ambient air temperature for storage	-13...158 °F (-25...70 °C)

Ordering and shipping details

Category	22384 - STARTERS,INTEGRAL,ACCESS
Discount Schedule	I11
GTIN	00785901167228
Nbr. of units in pkg.	1
Package weight(Lbs)	0.35000000000000003
Returnability	N
Country of origin	FR

Contractual warranty

Warranty period	18 months
-----------------	-----------

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.