

# **SPECIFICATION**

- Part No. : **PC23.07.0100A**
- Product Name : Internal Circular PCB Antenna AMPS/GSM/PCS/DCS Cellular PCB Antenna 100mm 1.13 IPEX MHFI (U.FL comp)
- Features : Diameter 42mm\*Height 1.6mm

Photo:





# **1. Introduction**

The PC23 Internal PCB Antenna is a circular Quad-band GSM antenna for incorporation antennas and transceiver modules worldwide. Omni-directional high gain across all bands ensures constant reception and transmission.. Cables and connectors are fully customizable.


# **2. Typical Antenna Performance in free space**

Specifications ELECTRICAL				
Band	824-896	880-960	1850-1990	1710-1880
Return Loss	-12 dB	-25 dB	-12 dB	-10 dB
Gain	Average 0 dBi			
Polarization	Linear			
Impedance	50 ohms			
Input Power	10 watts			
Input Connection	Coaxial Cable - RG174 Standard, Fully customizable			
VSWR (Min performance)	<2.0:1			

\*note: specifications may be subject to change




# **3. Outline Drawing**






# 4. S11 Magnitude





# 5. Radiation Patterns


# 800 MHz – 3D Radiation Pattern



Free-Space Total GAIN, Bottom View, ~~paNodes [2] ~dStartFreqMHz %-0.1f>> MHz



#### 900 MHz – 3D Radiation Pattern




Total, Bottom View

Free-Space Total GAIN, Bottom View, 900.0 MHz

# 1800 MHz – 3D Radiation Pattern

Total, Bottom View



Free-Space Total GAIN, Bottom View, 1800.0 MHz