

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
	A2	REVISED PER ECO-13-000800	16JAN12	KH	PO		

WHITE INDICATOR LINE
 SPUN ALUMINUM INLAY
 103±1
 PKES140B AND PKES150B ONLY
 (SEE SPECIFICATIONS)
 Ø A
 SEE NOTE 6
 #6-32 UNC-2B
 SET SCREW HOLE
 Ø B
 Ø C
 Ø D
 E
 F
 G
 H

SPECIFICATIONS:

MATERIAL: PHENOLIC , COLOR: BLACK.
 SHAFT HOLE INSERT: COPPER ALLOY.
 SET SCREW: #6-32 UNC-2A
 PKES60B, PKES70B, PKES90B, AND PKES120B
 ONE SET SCREW ONLY.
 PKES140B AND PKES150B, TWO SET SCREWS ONLY.

NOTES:

- INTERPRET DRAWING PER ASME Y14.5M-1994.
- DECORATIVE SPUN ALUMINUM INLAY.
- PLASTIC OVERLAY MUST BE PRESENT ON TOP SURFACE.
- PACKAGING: FOR P/N PKES140B-1/4 & PKES120B-1/4, A CARDBOARD SHEET SHALL BE INSERTED BETWEEN THE OUTER SLEEVE & KNOB TRAY SO AS TO PREVENT THE KNOBS FROM FALLING OUT OF THEIR RESPECTIVE POCKETS.
- VOID CORING FROM BOTTOM SIDE OF KNOB OPTIONAL.
- DIMENSIONS DO NOT APPLY IN MOLD GATE AREA.

5

P/N	MODEL	SHAFT HOLE Ø	"A"	"B"	"C"	"D"	"E"	"F"	"G"	"H"
5-1437624-1	PKES60B1/8	.126	.748	.618	.400	.460	.090	.220	.370	.470
5-1437624-0	PKES60B1/4	.251	.748	.618	.400	.460	.090	.220	.370	.470
5-1437624-2	PKES70B1/4		.855	.744	.508	.705	.080	.275	.421	.526
5-1437624-3	PKES90B1/4		1.012	.889	.623	.846	.079	.256	.500	.570
4-1437624-6	PKES120B1/4		1.296	1.160	.858	1.018	.118	.320	.500	.628
4-1437624-7	PKES140B1/4		1.500	1.374	1.094	1.217	.118	.280	.540	.693
4-1437624-8	PKES150B1/4		1.768	1.551	1.217	1.413	.118	.300	.733	.831

TOLERANCE CHART		
	DIMENSION	TOLERANCE
SHAFT HOLE	.126 DIA.	+ .003 - .000
	.251 DIA.	+ .003 - .000

WAS DWG 80444

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN BSV	14JUL04	STE TE Connectivity	
DIMENSIONS: INCHES		CHK -	APVD M ZITTO		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		SIZE A2	
0 PLC ± -		APPLICATION SPEC		CAGE CODE 00779	
1 PLC ± -		WEIGHT		DRAWING NO 4-1437624-6	
2 PLC ± -		RESTRICTED TO		REV A2	
3 PLC ± .015		SCALE 1:1		SHEET 1 of 1	
4 PLC ± -		CUSTOMER DRAWING		REV A2	
ANGLES ± 2°					
FINISH					
MATERIAL SEE SPECIFICATIONS					

1471-9 (3/11)

4-1437624-6