




**MALE SHORT CIRCUIT CAP  
WITH CHAIN**

**R141.862.000**

Series : BNC



All dimensions are in mm.



COMPONENTS	MATERIALS	PLATINGS (µm)
BODY	BRASS	NICKEL 2
CENTER CONTACT	BRASS	GOLD 1.3 OVER NICKEL 2
OUTER CONTACT	-	-
INSULATOR	-	-
GASKET	SILICONE RUBBER	-
OTHERS PARTS	BRASS	NICKEL 2
-	-	-
-	-	-

Issue : 0408 V

In the effort to improve our products, we reserve the right to make changes judged to be necessary.



**MALE SHORT CIRCUIT CAP  
WITH CHAIN**

**R141.862.000**

Series : BNC

**PACKAGING**

**SPECIFICATION**

Standard	Unit	Other
<b>100</b>	<b>'W' option</b>	<b>Contact us</b>

**ELECTRICAL CHARACTERISTICS**

**ENVIRONMENTAL**

Impedance **50 Ω**  
 Frequency **NA** GHz  
 VSWR **NA + 0.000** x F(GHz) Maxi  
 Insertion loss **NA**  $\sqrt{F}$ (GHz) dB Maxi  
 RF leakage **NA - (** F(GHz)) dB Maxi  
 Voltage rating **NA** Veff Maxi  
 Dielectric withstanding voltage **NA** Veff mini  
 Insulation resistance **NA** MΩ mini

Operating temperature **-65/+165 °C**  
 Hermetic seal **NA** Atm.cm3/s  
 Panel leakage **NA**

**OTHERS CHARACTERISTICS**

Assembly instruction **NA**

Others :  
-

**MECHANICAL CHARACTERISTICS**

Center contact retention  
 Axial force – Mating end **18** N mini  
 Axial force – Opposite end **18** N mini  
 Torque **2.8** N.cm mini

Recommended torque  
 Mating **NA** N.cm  
 Panel nut **NA** N.cm

Mating life **500** Cycles mini  
 Weight **9.000** g

Issue : 0408 V

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

