

Description: RO, 5dBi, 1060-1120MHz, NF

Series: Radome Omni

PART NUMBER: RO10905NF



Features:

- Omnidirectional antenna
- Gain 5dBi
- Polarization Vertical
- Connector N-female
- IP67

Applications:

- ADS-B

Issue: 1742P

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

For more information:

Pulse Worldwide Headquarters
15255 Innovation Drive #100
San Diego, CA 92128
USA
Tel: 1-858-674-8100

Pulse/Larsen Antennas
18110 SE 34th St. Bldg 2 Suite 250
Vancouver, WA 98683
USA
Tel: 1-360-944-7551

Europe Headquarters
Pulse GmbH & Do, KG
Zeppelinstrasse 15
Herrenberg, Germany
Tel: 49 7032 7806 0

Pulse (Suzhou) Wireless Products Co, Inc.
99 Huo Ju Road(#29 Bldg,4th Phase
Suzhou New District
Jiangsu Province, Suzhou 215009 PR China
Tel: 86 512 6807 9998

Preliminary



Description: RO, 5dBi, 1060-1120MHz, NF**Series:** Radome Omni**PART NUMBER:** RO10905NF**ELECTRICAL SPECIFICATIONS**

Antenna type	Stacked Dipoles
Frequency	1060-1120 MHz
Nominal Impedance	50 Ω
VSWR	2:1
Gain	5 dBi
Efficiency	70 %
Radiation Pattern	Omni
HPBW / E-Plane	22°
Polarization	Vertical
Power withstanding	20 W
E.S.D. Protection	DC Grounded
Connector type	N-Female

MECHANICAL SPECIFICATIONS

Color/Material	White/Pultruded polyester/fiberglass–UV protected
Weight	242 g
Overall Length	695.6 mm

ENVIRONMENTAL SPECIFICATIONS

Operating temperature	-40 ~ +85° C
Ingress Protection	IP67
Wind-loading	241.4 km/h (150 mph)
RoHS Compliant	Yes

Issue: 1742P

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.


Preliminary

Description: RO, 5dBi, 1060-1120MHz, NF

Series: Radome Omni

PART NUMBER: RO10905NF

MECHANICAL DRAWING



All dimensions are in mm / inches

Issue: 1742P

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

Preliminary

Description: RO, 5dBi, 1060-1120MHz, NF


Series: Radome Omni

PART NUMBER: RO10905NF

CHARTS

VSWR vs Frequency
RO10905NF

Measured at Pulse, USA - Oct 25, 2017



Preliminary

Issue: 1742P

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.



Description: RO, 5dBi, 1060-1120MHz, NF


Series: Radome Omni

PART NUMBER: RO10905NF

CHARTS


Peak Gain vs Frequency
RO10905NF

Measured at Pulse, USA - Oct 25, 2017



Efficiency vs Frequency
RO10905NF

Measured at Pulse, USA - Oct 25, 2017



Issue: 1742P

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.





Description: RO, 5dBi, 1060-1120MHz, NF

Series: Radome Omni

PART NUMBER: RO10905NF

CHARTS



Issue: 1742P

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

