

Data brief

Evaluation board based on ST1PS02DQTR 400 mA nano-quiescent synchronous step-down converter with AUX switch





Product summary Evaluation board based on ST1PS02DQTR 400 STEVAL-1PS02D mA nano-quiescent synchronous stepdown converter with AUX switch 400mA nanoquiescent synchronous stepdown converter ST1PS02DQTR with digital voltage selection, Power Good and AUX switch **Applications Buck Converter**

Features

- 1.8 to 5.5 V input operating range
- Up to 400 mA output current capability
- Tiny external components: L = 2.2 μH typ.
- Dynamically selectable output voltages from 1.0 to 1.35 V
- Output voltage power good
- Auxiliary load switch Vout2 (AUX control input)
- WEEE and RoHS compliant (hardware only)

Description

The STEVAL-1PS02D evaluation board allows evaluation of a smart converter able to deliver up to 400 mA output current from a 1.8 to 5.5 V input, with a dynamically adjustable 1.0 to 1.35 V output voltage.

The board embeds the ST1PS02DQTR nano-quiescent miniaturized synchronous step-down converter which implements enhanced peak current control (PCC) and advanced design circuitry to minimize quiescent current. It features a controlled load switch to supply a subsystem with the same voltage rail. The device is supplied in TQFN12 (2.0x1.7 mm) thin package, but other packages are also available.

The board demonstrates how highly efficient conversion can be achieved using just the ST1PS02DQTR, a 2.2 μ H inductor and two small capacitors.

The board highlights the key application benefits of the ST1PS02DQTR, including high efficiency and small PCB size and thickness, and is ideal for power conversion solutions in wearable applications, fitness accessories, personal tracking monitors, smart watches, sport bands, energy harvesting, wireless sensors, industrial sensors, portable low power devices, single cell Li-Ion battery applications, as well as Bluetooth low energy and Zigbee applications.


Schematic diagrams



STEVAL-1PS02D

Schematic diagrams

Figure 1. STEVAL-1PS02D circuit schematic





Revision history

Table 1. Document revision history

Date	Version	Changes
19-May-2021	1	Initial release.

DB4285 - Rev 1 page 3/4