


## LSM6DSO adapter board for a standard DIL24 socket

### Features



- Complete LSM6DSO pinout for a standard DIL 24 socket
- Fully compatible with STEVAL-MKI109V3 motherboards
- Changing the resistor settings is also compatible with the STEVAL-MKI109V2 motherboard
- WEEE compliant
- RoHS compliant

### Description



STEVAL-MKI196V1 is an adapter board designed to facilitate the evaluation of MEMS devices in the [LSM6DSO](#) product family. The board offers an effective solution for fast system prototyping and device evaluation directly within the user's own application.


The STEVAL-MKI196V1 can be plugged into a standard DIL 24 socket. The adapter provides the complete LSM6DSO pin-out and comes ready-to-use with the required decoupling capacitors on the VDD power supply line.

This adapter is supported by the [STEVAL-MKI109V2](#) and [STEVAL-MKI109V3](#) with high performance 32-bit microcontroller functioning as a bridge between the sensor and a PC, on which it is possible to use the downloadable graphical user interface (Unico GUI), or dedicated software routines for customized applications.

Product summary	
LSM6DSO adapter board for a standard DIL24 socket	<a href="#">STEVAL-MKI196V1</a>
iNEMO 6DoF inertial module, ultra-low power and high accuracy	<a href="#">LSM6DSO</a>
ST MEMS adapter motherboard based on the STM32F401VET6 compatible with ST MEMS adapters	<a href="#">STEVAL-MKI109V3</a>
ST MEMS adapters motherboard based on STM32F103, compatible with all ST MEMS adapter boards	<a href="#">STEVAL-MKI109V2</a>

# 1 Schematic diagram

Figure 1. STEVAL-MKI196V1 board schematic



## Revision history

**Table 1. Document revision history**

Date	Version	Changes
28-Aug-2018	1	Initial release.