

Description: 433MHz Swivel Stick Dipole – SMA-M


PART NUMBER: W1076

Features:

- Frequency 430-435MHz
- Gain -4dBi
- Length 108mm (straight)
- Connector SMA-Male
- IP40
- RoHS Compliant

Applications:

- 433MHz ISM band radios
- Indoor use
- Remote controls
- Surveillance, Monitoring
- Industry automation
- IoT



Issue: 2044

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998







TECHNICAL DATA SHEET

Description:

433MHz Swivel Stick Dipole – SMA-M

PART NUMBER: W1076

ELECTRICAL SPECIFICATIONS

Antenna Type	Dipole
Frequency	430-435MHz
Nominal Impedance	50 Ω
VSWR	1.5:1(MAX)
Radiation Pattern	Omni
Gain	-4dBi(Min)
Efficiency	15%(Min)
Polarization	Vertical
Power Withstanding	5W

Overall Length	108 mm
Weight	8.84 g
Antenna Color	Black
Connector type	SMA Male

ENVIRONMENTAL SPECIFICATIONS		
Operating Temperature	-40 ~ +85° C	
Storage Temperature	-40 ~ +85° C	
Ingress Protection	IP40	
RoHS Compliant	Yes	

Issue: 2044

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



2



TECHNICAL DATA SHEET


Description:


433MHz Swivel Stick Dipole – SMA-M

Series: Stick Antenna

PART NUMBER: W1076

MECHANICAL DRAWING





Issue: 2044

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

3



TECHNICAL DATA SHEET

Description: 433MHz Swivel Stick Dipole – SMA-M

PART NUMBER: W1076

TEST SETUP



Test with a 37.5mm*50mm ground plane in free space.

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






TECHNICAL DATA SHEET

Description: 433MHz Swivel Stick Dipole – SMA-M

PART NUMBER: W1076

CHARTS

VSWR vs Frequency



Issue: 2044

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

5



TECHNICAL DATA SHEET


Description:

433MHz Swivel Stick Dipole – SMA-M


PART NUMBER: W1076

CHARTS

Peak Gain



Radiation Efficiency



Issue: 2044

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



6



TECHNICAL DATA SHEET


Description:


433MHz Swivel Stick Dipole – SMA-M

PART NUMBER: W1076

CHARTS

Radiation Pattern 2D





Issue: 2044

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



7