

## Main

|                                       |  |
|---------------------------------------|--|
| Range of Product                      | Telemecanique Safety light curtains XUSL                   |
| Accessory / separate part category    | Mounting and fixing accessories                            |
| Accessory / Separate Part Type        | Fixing column  |
| Offer type                            | Without mirror   |
| Product Compatibility                 | XUSL.E...121 to XUSL.E...136                               |
| Accessory / separate part destination | Safety light curtain type 4<br>Safety light curtain type 2 |

## Complementary

|                                       |  |
|---------------------------------------|--|
| Ambient Air Temperature for Operation | -22...131 °F (-30...55 °C)<br>-22...131 °F (-30...55 °C) |
| Ambient Air Temperature for Storage   | -22...158 °F (-30...70 °C)<br>-22...158 °F (-30...70 °C) |
| Kit composition                       | 1 x cable gland(s), Pg 11                                |
| Column height                         | 65.75 in (1670 mm)                                       |
| Height protected                      | 53.54 in (1360 mm)                                       |
| Net Weight                            | 12.13 lb(US) (5.5 kg)                                    |

## Ordering and shipping details

|                   |                             |
|-------------------|-----------------------------|
| Category          | 22455-LIGHT CURTAINS - XUSL |
| Discount Schedule | DS2                         |
| GTIN              | 3389119619219               |
| Returnability     | No                          |
| Country of origin | IT                          |

## Packing Units


|                              |                       |
|------------------------------|-----------------------|
| Unit Type of Package 1       | PCE                   |
| Number of Units in Package 1 | 1                     |
| Package 1 Height             | 5.51 in (14.0 cm)     |
| Package 1 Width              | 7.87 in (20.0 cm)     |
| Package 1 Length             | 70.87 in (180.0 cm)   |
| Package 1 Weight             | 16.76 lb(US) (7.6 kg) |

## Offer Sustainability

|                            |   |
|----------------------------|---|
| Sustainable offer status   | Green Premium product   |
| California proposition 65  | WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |
| REACH Regulation           | <a href="#">REACH Declaration</a>   |
| REACH free of SVHC         | Yes   |
| EU RoHS Directive          | Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>  |
| Toxic heavy metal free     | Yes   |
| Mercury free               | Yes   |
| RoHS exemption information | <a href="#">Yes</a>   |
| Environmental Disclosure   | <a href="#">Product Environmental Profile</a>   |
| Circularity Profile        | <a href="#">End Of Life Information</a>   |

## Dimensions

With XUSZFB2



With XUSZFB1

