


*Aqua Tech Trading Corp. Ltd*, located in Chongqing, China, which is focused on developing, manufacturing and distributing water valves and associated water used equipments.

We are a rapidly expanding company perceived as a growing force in the area of fluid control, we attribute our success to extensive product knowledge, our understanding of and responsiveness to market requirements and the value we place on excellent customer service.

Aqua Valves have been widely used in agriculture, water supply, water control and water purification industries.



The following products are our solenoid valves.







<b>Model No.</b>	AQT15S	<b>Model No.</b>	AQT15SC
<b>Thread Size</b>	1/2" BSP inlet and outlet	<b>Thread Size</b>	1/2" BSP inlet and outlet
<b>Material</b>	PET	<b>Material</b>	PET
<b>Working Temp</b>	0-40°C	<b>Working Temp</b>	0-40°C
<b>Working Pressure</b>	0.02~0.8MPa	<b>Working Pressure</b>	0.02~0.8MPa
<b>Voltage</b>	DC12V,DC24V,AC220V	<b>Voltage</b>	AC/DC 6/9/12/24/36110/220V
<b>Voltage Range</b>	15%	<b>Voltage Range</b>	15%
<b>Style</b>	Closed Valve	<b>Style</b>	Closed Valve
<b>Working Environment</b>	Water, Gas and Oil	<b>Working Environment</b>	Water, Gas and Oil
<b>Lifespan</b>	More than 200,000 times	<b>Lifespan</b>	More than 200,000 times
<b>Certification</b>	CQC/CE	<b>Certification</b>	CQC/CE

**Usage:**

Suit for many kinds of washing machine, drinking water machine, sanitary equipment, water heater, etc. Our products have passed CQC and CE. And it meets the requirement of WEEE and ROHS.

			
<b>Model No.</b>	AQT10S	<b>Model No.</b>	AQT15SL
<b>Thread Size</b>	1/2"10mm BSP inlet and outlet	<b>Thread Size</b>	1/2" BSP inlet and outlet
<b>Material</b>	Plastic and Brass	<b>Material</b>	Plastic and Brass
<b>Working Temp</b>	0~60/100°C	<b>Working Temp</b>	0~100°C
<b>Working Pressure</b>	0.02~0.8MPa, static pressure $\geq$ 2.0MPa	<b>Working Pressure</b>	400 millimeter water column
<b>Voltage</b>	DC12V,DC24V,AC220V	<b>Voltage</b>	AC/DC 6/9/12/24/36110/220V
<b>Voltage Range</b>	15%	<b>Voltage Range</b>	15%
<b>Style</b>	Closed Valve	<b>Style</b>	Opened Valve
<b>Working Environment</b>	Water, Gas and Oil	<b>Working Environment</b>	Water, Gas and Oil
<b>Lifespan</b>	More than 200,000 times	<b>Lifespan</b>	More than 200,000 times
<b>Certification</b>	CQC/CE	<b>Certification</b>	CQC/CE
<b>Usage:</b> washing machine used solenoid valve		<b>Usage:</b> Specially working in low pressure environment	

			
<b>Model No.</b>	AQT12SL	<b>Model No.</b>	AQT12SLT
<b>Thread Size</b>	1/2"BSP inlet and 12mm outlet	<b>Thread Size</b>	1/2"BSP inlet and 12mm outlet
<b>Material</b>	Plastic and Brass	<b>Material</b>	Plastic and Brass
<b>Working Temp</b>	0~100°C	<b>Working Temp</b>	0~100°C
<b>Working Pressure</b>	400 millimeter water column	<b>Working Pressure</b>	400 millimeter water column
<b>Voltage</b>	DC12V,DC24V,AC220V	<b>Voltage</b>	AC/DC 6/9/12/24/36110/220V
<b>Voltage Range</b>	15%	<b>Voltage Range</b>	15%
<b>Style</b>	Opened Valve	<b>Style</b>	Opened Valve
<b>Working Environment</b>	Water, Gas and Oil	<b>Working Environment</b>	Water, Gas and Oil
<b>Lifespan</b>	More than 200,000 times	<b>Lifespan</b>	More than 200,000 times
<b>Certification</b>	CQC/CE	<b>Certification</b>	CQC/CE

<b>Usage:</b> Specially working in low pressure environment		<b>Usage:</b> Specially working in low pressure environment	
			
<b>Model No.</b>	AQT15SCB	<b>Model No.</b>	AQT15SP
<b>Thread Size</b>	1/2"BSP inlet and let	<b>Thread Size</b>	1/2"BSP inlet and 12mm outlet
<b>Material</b>	Brass	<b>Material</b>	Plastic
<b>Working Temp</b>	0~100°C	<b>Working Temp</b>	1°C-75°C
<b>Working Pressure</b>	0.02~0.8MPa	<b>Flow rate</b>	0.02Mpa ≥ 3 L/min, 0.1Mpa ≥ 12 L/min, 0.8Mpa ≥ 35 L/min
<b>Voltage</b>	DC12V,DC24V,AC220V	<b>Voltage</b>	AC220V
<b>Voltage Range</b>	15%	<b>Voltage Range</b>	15%
<b>Style</b>	Closed Valve	<b>Resistance Coil</b>	4.75K Ω ± 0.25K Ω (20°C)
<b>Working Environment</b>	Water, Gas and Oil	<b>Working Environment</b>	Water
<b>Lifespan</b>	More than 200,000 times	<b>Lifespan</b>	More than 1,000,000times
<b>Certification</b>	CQC/CE	<b>Certification</b>	0
<b>Usage:</b> Specially working in low pressure environment		<b>Usage:</b> Water used solenoid valve	